DISTRIBUTION SANTA FE NEW MEXICO OIL CONSERVATION COMMISSION FILE U.S.G.S. LAND OFFICE OPERATOR SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.) 7 Unit Agreement Name	NO. OF COPIES RECEIVED	- 1	Form C-103
SANT AFE ILE			
SUNDRY NOTICES AND REPORTS ON WELLS OD NOT BET THIS PROVIDED TO SUNDRY NOTICES AND REPORTS ON WELLS OD NOT BET THIS PROVIDED THE PROVIDED TO SUNDRY NOTICES AND REPORTS ON WELLS OD NOT BET THIS PROVIDED THE PROVIDED TO SUNDRY NOTICES AND REPORTS ON WELLS ON NOTICE THAT PROVIDED THE PROVIDED TO SUNDRY NOTICES AND REPORTS ON WELLS ON NOTICE THAT PROVIDED THE PROVIDED THE PROVIDED TO SUNDRY NOTICES AND REPORTS OF THE PROVIDED THE PROVIDE THE PROVIDED THE PROVIDED THE PROVIDED THE PROVIDED THE PROVIDE THE PROVIDED THE PROVIDED THE PROVIDED THE PROVIDED THE PROVIDE THE PROVIDED THE PROVIDED THE PROVIDED THE PROVIDED THE PROVIDE		NEW MEXICO OIL CONSERVATION COMMISSION	
Cayman Corporation S. Address of Coperator P. O. Box 2099. Palos Verdes, Peninsula, Calif. 90274 4. Location of Vell Unit Letter I 1980 Pret Treat to South Last and Last		19.257	
Cayman Corporation S. Address of Coperator P. O. Box 2099. Palos Verdes, Peninsula, Calif. 90274 4. Location of Vell Unit Letter I 1980 Pret Treat to South Last and Last			
SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS Common Corporation Cayman Corporation Chadren of Copyright P. O. Box 2099, Palos Verdes, Peninsula, Calif. 90274 LITTLE LITTLE LITTLE LITTLE SOUTH LITTLE			
The state of the s	OPERATOR		5. State Oil & Gas Lease No.
The state of the s			
The continue of Composition 2. Address of Operation 3. Address of Operation 2. Address of Operation 3. Address of Operation 3. Address of Operation 4. Location of Well 1. 1980	(DO NOT USE THIS FORM USE "A	UNDRY NOTICES AND REPORTS ON WELLS FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. PPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)	
Cayman Corporation Cayman Corporation Cayman Corporation Do Corporation P. O. Box 2089, Palos Verdes, Peninsula, Calif. 90274 1 1980 PEAST TOWN THE SOUTH LINE AND 810 PEAST TOWN THE SOUTH LINE AND 810 PEAST TOWN THE AND THE AND THE SOUTH LINE AND 810 PEAST TOWN THE AND THE AND THE SOUTH LINE AND THE TOWN THE AND THE	l. OIL GAS WELL WELL	OTHER•	
P. O. Box 2099, Palos Verdes, Peninsula, Calif. 90274 4. Location of Walf 1 1980 FERST THE East LINE, SECTION 24 TOWNSHIP 15. Elevention (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: TEMPORABLY ABANDON FERT FROM STATE ABANDON FERT FROM STATE ABANDON FERT FROM STATE ABANDON FULL OR ALIES CASING THE TOWN STATE ABANDON FULL OR ALIES CASING TO 2412.01¹ 24# 1211.52² 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 15. I hereby certify that the information above is true and complete to the best of my knowledge and belief. Engineer 10-14-68		orporation	McGuffin
4. Location of Well Unit Certer I 1980 PECT FROM THE SOUTH Line AND PECT FROM THE SOUTH Line AND RANGE 32-E NAME 13-E Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PEUD AND ABANDON PLUS AND ABANDON PLUS AND ABANDON NAME CASING PLUS AND ABANDON NAME TEATING CASING OTHER 17. Demonths. Perposed of Champleted Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposes (area); SEE NUL E 1103. 10-6-68 TD 3607' Ran 111 joints 8-5/8", J-55 casing as follows: Top 2412.01' 24# 1211.52' 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.	3. Address of Operator P. O. Box	2099. Palos Verdes, Peninsula, Calif. 90274	
15. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: **RESTAM REMEDIAL WORK PLUS AND ABANDON PLUS AND ABANDON CASING FELLOWARD CASING PLUS AND ABANDON CASING FEET AND CENTER ADDRESS AND ABANDON CASING FEET ADDRESS AND CASING FEET	4. Location of Well		UNDESIGNATED
15. Elevation (Show whether DF, RT, GR, etc.) 4369, 4 GR Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK TEMPORABILY ABANDON TEMPORABILY ABANDON THER 17. Discribe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose. 10-6-68 TD 3607! Ran 111 joints 8-5/8", J-55 casing as follows: Top 2412.01! 24# 1211.52' 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.			
17. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PRUL ON ATTER CASING PULL ON ATTER CASING OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1703. 10-6-68 TD 3607¹ Ran 111 joints 8-5/8", J-55 casing as follows: Top 2412.01¹ 24# 1211.52¹ 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.	THE LINE	, SECTION TOWNSHIP RANGE N	MPM.
NOTICE OF INTENTION TO: PEGGRAM REMEDIAL WORK PLUG AND ABANDOM			
PERFORM REMEDIAL WORK PULL OR ALTER CASING 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1703. 10-6-68 TD 3607¹ Ran 111 joints 8-5/8¹¹, J-55 casing as follows: Top 2412.01¹ 24# 1211.52¹ 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.	16. C	heck Appropriate Box To Indicate Nature of Notice, Report or	
TOP 2412.01' 24# 1211.52' 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.	NOTICE	OF INTENTION TO: SUBSEQU	JENT REPORT OF:
OTHER OT	PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1703. 10-6-68 TD 3607' Ran 111 joints 8-5/8", J-55 casing as follows: Top 2412.01' 24# 1211.52' 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18. Thereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Engineer OATE OATE	i i i i i i i i i i i i i i i i i i i	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1103. 10-6-68 TD 3607¹ Ran 111 joints 8-5/8¹¹, J-55 casing as follows: Top 2412.01¹ 24# 1211.52¹ 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18. I hereby certify that the information above is true and complete to the best of my knowledge and belief. Engineer OATE OATE OATE	F	CHANGE PLANS CASING TEST AND CEMENT JOB	
17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE RULE 1703. 10-6-68 TD 3607! Ran 111 joints 8-5/8", J-55 casing as follows: Top 2412.01! 24# 1211.52! 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.		OTHER	
10-6-68 TD 3607' Ran 111 joints 8-5/8", J-55 casing as follows: Top 2412.01' 24# 1211.52' 32# Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks.	OTHER		
Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18.1 hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNED Hours Engineer DATE 10-14-68		leted Operations (Clearly state all pertinent details, and give pertinent dates, incl	uding estimated date of starting any proposed
Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18.1 hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNED FIGURE DATE TITLE Engineer APPROVED BY ARRAMAN TITLE Engineer DATE DATE	10-6-68	TD 3607' Ran 111 joints 8-5/8", J-55 casi	ing as follows:
Cemented with 250 sx 50-50 Incor-Poz with 6% gel followed by 100 sx Incor with 2% CaCl. Plug down at 9:20 P.M. 10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18.1 hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNED TITLE Engineer TITLE Engineer DATE 10-14-68		Top 2412.01 24#	
10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18. I hereby certify that the information above is true and complete to the best of my knowledge and belief. Engineer DATE DATE DATE DATE		• •	
10-7-68 WOC 24 hours. Tested casing with 1500# for 30 minutes. No leaks. 18. I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNED FITTLE Engineer APPROVED BY TITLE DATE DATE		Cemented with 250 sx 50-50 Incor-Poz with 6% 100 sx Incor with 2% CaCl. Plug down at 9:20	gel followed by P.M.
No leaks. 18. I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNED FITTLE Engineer DATE DATE DATE	10.7.69		
SIGNED SIGNED Engineer DATE 10-14-68 APPROVED BY STATE DATE DATE	10-7-08		
SIGNED SIGNED Engineer DATE 10-14-68 APPROVED BY STATE DATE DATE			
SIGNED SIGNED Engineer DATE 10-14-68 APPROVED BY STATE DATE DATE			
SIGNED SIGNED Engineer DATE 10-14-68 APPROVED BY STATE DATE DATE			
APPROVED BY TITLE DATE DATE	18. I hereby certify that the int	ormation above is true and complete to the best of my knowledge and belief.	
APPROVED BY TITLE DATE	SIGNED Store	Engineer Engineer	10-14-68
APPROVED BY		A LIPERITOR DISTRICT	8,5,6
CONDITIONS OF APPROVAL, IF KNY:		THUM TO THE	DATE
	CONDITIONS OF APPROVAL	IF KNY:	