

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLE  
(Other instructions  
reverse side)TIG\*  
TC-Form approved.  
Budget Bureau No. 42 R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

NM 098591-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

7. UNIT AGREEMENT NAME

SW-464

8. FARM OR LEASE NAME

Mallard Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Vada Penn

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec 33, T-9-S, R-34-E

12. COUNTY OR PARISH

Lea

13. STATE

N.M.

1. OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

Major, Giebel &amp; Forster

3. ADDRESS OF OPERATOR

1126 Vaughn Building, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface1980 FEL, 1980 FSL, Section 33  
T-9-S, R-34-E, Lea County, New Mexico

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4257 KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1/10/69 Set 28 sx cmt plug @ 9826'.  
Set 28 sx cmt plug @ 7680'.  
Set 28 sx cmt plug @ 5500'.  
Set 28 sx cmt plug @ 4030'.1/11/69 Cut off 8 5/8" csg @ 1000'. Pulled 24 jnts 24# csg (1000').  
Set 55 sx cmt plug @ 1000'.  
Set 55 sx cmt plug @ 370'.  
Cut off csg head. Set 10 sx cmt plug in top of 12 3/4" csg. Welded  
on 1/2" steel plate. Put up dry hole marker.

Verbal permission to plug this well was received from A. R. Brown.

18. I hereby certify that the foregoing is true and correct

SIGNED

*William J. Kern*

TITLE

Engineer

DATE 2/11/69

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED

DATE

JUL 10 1969

\*See Instructions on Reverse Side J. L. GORDON  
ACTING DISTRICT ENGINEER