

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLE ATES*
(Other instruction
verse side)Form approved,
Budget Bureau No. 42 R1424.
5. LEASE DENOMINATION AND SERIAL NO.

NM 098591-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME SW-464
2. NAME OF OPERATOR Major, Giebel & Forster	8. FARM OR LEASE NAME Mallard Federal
3. ADDRESS OF OPERATOR 1126 Vaughn Building, Midland, Texas 79701	9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980 FEL, 1980 FSL, Section 33 T-9-S, R-34-E, Lea County, New Mexico	10. FIELD AND POOL, OR WILDCAT Vada Penn
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 33, T-9-S, R-34-E
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 4257 KB	12. COUNTY OR PARISH Lea
	13. STATE N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

PULL OR ALTER CASING ☒MULTIPLE COMPLETE ☒ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐

(Other)

REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Verbal permission to plug this well was received from A. R. Brown 2/9/69.

Set 28 sx cmt plug @ 9826'.
Set 28 sx cmt plug @ 7680'.
Set 28 sx cmt plug @ 5500'.
Set 28 sx cmt plug @ 4030'.
Cut off 8 5/8" csg @ 1000'.
Pull 24 jnts 24# csg (1000').
Set 55 sx cmt plug @ 1000'.
Set 55 sx cmt plug @ 370'.
Cut off csg head.
Set 10 sx cmt plug in top of 12 3/4" csg.

18. I hereby certify that the foregoing is true and correct

SIGNED

(This space for Federal or State office use)

TITLE

Engineer

DATE 2/9/69

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED

FEB 13 1969

ARTHUR R. BROWN
DISTRICT ENGINEER

DATE

*See Instructions on Reverse Side