

COUNTY IEA FIELD Flying M., S. STATE NM 30-025-23072
 OPR KING RESOURCES CO. MAP
 I Crouse, Kieth
 Sec 25, T-9-S, R-32-E
 660' FNL, 1980' FWL of Sec. CO-ORD

Spd 3-19-69 CLASS EL [REDACTED]
 Cmp 4-29-69
 CSG & SX - TUBING
 13 3/8" at 360' w/375 sx
 8 5/8" at 3611' w/200 sx
 5 1/2" at 9116' w/300 sx
 LOGS EL GR RA IND HC A

TD 9116';

IP (bough "C") Perf 9018-24' P 275 ROPD + 230 EW. Pot based on
 24 hr test. GOR 1000; Cray 45.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Hondo
 DATE PROP DEPTH 9300' TYPE

F.R. 3-18-69; Opr's Elev. 4332' GL
 PD 9300' (Bough "C")
 Contractor - Hondo
 5-29-69 AMEND FIELD NAME, Formerly reported as
 Undesignated.
 3-25-69 Drlg. 3600' 1m
 3-31-69 Drlg. 5862' dolo
 DST (San Andres) 4220-85', open 1 hr 10 min,
 rec 364' wtr (DP leaked) (chlor 50,000 ppm),
 1 hr ISIP 1496#, FP 105-198#, 2 hr FSIP 1408#
 4-7-69 Drlg. 7690' 1m & sh
 4-15-69 Drlg. 8841' 1m
 4-22-69 TD 9116'; Rng casing
 DST 9021-9046', open 3 hrs, CFS 12 min @
 40 MCF/GPD, rec 90' mud + 1975' oil +

LEA Flying M, S. NM Sec 25, 19S, R32E
KING RESOURCES CO. 1 Crouse, Kieth Page #2

4-22-69 Continued
540' salt wtr, 1 hr ISIP 997#, PP 240-
895#, 3 hr PSIP 997#, HP 514-5053#
4-29-69 TD 9116'; Swbg
Perf 9018-24' w/1 SPF
Acid (9018-24') 500 gals
Swbd 76 BF (28 BO + 48 BW) w/ air show
gas in 12 hrs
5-5-69 TD 9116'; WO Potential
Ppd 275 BO + 230 BW in 24 hrs, COF 1000,
Grav 45
5-19-69 TD 9116'; WO Potential
5-26-69 TD 9116'; COMPLETE
SAMPLE TOPS: San Andres 3522', Clorieta 5980'

5-26-69 Continued
(-616'), Abo Shale 7235' (-2890')
LOG TOPS: Yates 2295', San Andres 3552',
Pi Sand 4084', Clorieta 4940', Turb 6404',
Abo 7268', Wolfcamp 8440', Bough 9007'
(-4661')
5-29-69 COMPLETION REPORTED