NEW M. ICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective A-1-65

All distances must be from the outer boundaries of the Section

		All distances	must be from	the outer bound	aries of 1			
Operator Coastal Sta	ites Gas Pro	oducing Compa	l l	ease Sawyer St	a te	$L_{L_{i,j}}$		Well No. 3
Unit Letter	Section	Township		Range		County		
В	4	10S		37E		Lea		1
Actual Footage Loc	ation of Well:	_						
660	feet from the	north	line and	1980	feet	from the	east	line.
Ground Level Elev: 3967	Producing San Ai	_	Po	∞i West Sawy e	er			Dedicated Acreage: 80 Acres
 Outline the contract of the contr	e acreage dedican one lease of one lease of ommunitization No is "no," list the finecessary.)	is dedicated to different owner, unitization, for answer is "yes; ne owners and transmed to the well	ship is dec ce-pooling. ' type of c	dicated to the etc? onsolidation tions which hatterests have	encil or nd ider well, l	tually been	n consolida	e plat below. ereof (both as to working all owners been consolited. (Use reverse side of nunitization, unitization, approved by the Commis-
			660_0		1980 '		Name None None None None None None None Non	CERTIFICATION ertify that the information con- ein is true and complete to the knowledge and belief. Howard Production Manage States Gas Prod. (
	 			 			I hereby of shown on the notes of a under my so is true and knowledge Date Surveyer 5-24-69 Registered Pand/or Land	certify that the well location his plat was plotted from field ctual surveys made by me of upervision, and that the same of correct to the best of mand belief. d professional Engineer Surveyor
							Certificate N	
0 330 660 '	90 1320 1650	1980 2310 2640	2000	1500 1000	50			

COUNTY LEA FIELD	Sawyer, ₩.		stateNM 30-025	5-23169
OPR COASTAL STATES GAS PI	RODUCING CO.		N	1AP
Sawyer-State				
Sec 4, T-10-S, R-37-		CO-ORD		
660' FNL, 1980' FEL	of Sec.			
Spd 6-2-69	CLAS		11.	
Cmp 6-17-69	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
8 5/8" at 410' w/250 sx 4½"at 5057' w/250 sx				
-				
			i	
LOGS EL GR RA IND HC A				
	TD 5057'			

IP (San Andres) Perfs 4958-76' P 220 BOPD + 74 BW. Pot based on 24 hr test, GOR TSTM, Grav 22.4

		Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.	
CONT	Verna	PROP DEPTH 5200' TYPE	
DATE			

F.R. 6-3-69 PD 5200' (San Andres) Contractor - Verna AMEND FIELD NAME, Formerly reported as 7-3-69 Undesignated. Drlg. 4695' 6-9-69 TD 5057'; MORT 6-17-69 Cored 4935-85', rec 44' anhy dolo, fracs, PPP, bldg oil & gas Cored 4985-5028', rec 29' dn dolo, trace ppvuggy poro, sli bldg oil TD 5057'; TO Pmp 6-23-69 Perf 4958-76' w/1 SPF Acid (4958-76') 6000 gals Ppd 50 BO + 150 BW in 24 hrs

LETA Sawyer, W. Sec 4, T-10-3, R-37-E COASTAL STATES GAS PROD. CO. #1 Sawyer-S ate Page 2

5-00-69 TD 5057'; COMPLETE

• • = max to . Max.

LOG TOPS: Yates 2945', San Andres 4206'

COMPLETION REPORTED