

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT - A (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input type="checkbox"/></p>
<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p>		<p>5. State Oil & Gas Lease No.</p>
<p>2. Name of Operator Sun Oil Company</p>		<p>6. Farm or Lease Name New Mexico "Q" State</p>
<p>3. Address of Operator P.O. Box 1861, Midland, Texas 79701</p>		<p>9. Well No. 1 2</p>
<p>4. Location of Well UNIT LETTER C 660 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 9 TOWNSHIP 11-S RANGE 34-E N.M.P.M.</p>		<p>10. Field and Pool, or Wildcat Inbe Permo Penn</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 4218 GR.</p>		<p>12. County Lea</p>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 4-3-76 MIRU Jameson & Caffey -dig cellar & pit.
- 4-5-76 POOH W/ tbg. & pump 20 sx. Cmt. plug followed by wiper plug & 9.5# mud laden fluid. Displaced cmt. to Otis WB pkr. @ 9952. Note: perfs @ 9958-9970, PBD @ 9998!
- 4-6/7-76 Shot 5-1/2" csg. @ 4575. POOH W/143 jts. csg.
- 4-8-76 Spotted 25 sx. Cl. "H" plug from 4625-4525. Sptd. 35 sx. Cl. "H" plug 4050-3950 (50" in/out 8-5/8").
- 4-9-76 Shot 8-5/8" @ 1200'. POOH W/1218" 8-5/8" csg.
- 4-10-76 Spot 50 sx. Cmt. plug 1250-1150 & 75 sx. Cmt. plug 450-350' (50' in & out 13 3/8" CS). Spot 20 sx. Cmt. plug from 30' to surface. Weld on Steel plate & install permanent marker. Well P & A.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Charles Gray TITLE Proration Analyst DATE 4-15-76

APPROVED BY John W. Plummer TITLE Geologist DATE FEB 1

CONDITIONS OF APPROVAL, IF ANY: