

COUNTY LEA FIELD Undesignated STATE NM 30-025-23278

OPR ELK OIL CO. MAP

1 Conners - State

Sec 10, T-12-S, R-32-E CO-ORD

660' FNL, 660' FEL of Sec.

Spd 9-7-69

Cmp 10-27-69

	CLASS		FORMATION	DATUM
	FORMATION	DATUM		
CSG & SX - TUBING 11 3/4" at 342' 8 5/8" at 3645'				
LOGS EL GR RA IND HC A				
				TD 10,700'

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran PROP DEPTH 10,700' TYPE

DATE

F.R. 9-9-69
PD 10,700' (Pennsylvanian)
Contractor - Moran

9-9-69 Drlg. 1560'
9-11-69 TD 3650'; Prep Drill
9-22-69 Drlg. 6500'
9-20-69 Drlg. 8700'
DST (Wife) 8342-8526', open 1 hr 35 min,
rec 310' mud, 2 hr ISIP 2668#, FP 148-294#,
4 hr FSIP 3089#

10-6-69 TD 9565'; Prep Drill
DSI (Wife) 8755-8850', open 2 hrs 30 min,
UIS 30 min (tool partial plugged), rec 8115'
GIDP + 210' sll GCM + 280' HCCM + 120' HO&GCM,

LEA
ELK OIL CO.

Undesignated NM Sec 10, T12S, R32E
1 Conners - State Page #2

10-6-69

Continued

2 hr ISIP 1627#, FP 433-350#, 4 hr FSIP
1725#

DST (Fough "C") 9384-9565', open 1 hr, rec
900' mud, (Pressures not recorded)

10-14-69

Drilg. 10,005'

DSI 9825-9864', open 1 hr 45 min, Pkrs failed,
rec 5747' mud, 1 hr ISIP 4053#, FP 3022-2975#,
2 hr 30 min FSIP 3243#

DSI (Strawn) 9821-9897', open 1 hr 30 min,
rec 150' DM, 2 hr ISIP 553#, FP 101-115#,
4 hr FSIP 1914#

10-19-69

Drilg. 10,565'

DST (Atoka) 10,249-315', open 1 hr 30 min,

10-19-69

Continued

rec 250' DM, 2 hr ISIP 200#, FP 155-203#,
4 hr FSIP 314#

10-27-69

TD 10,700'; PSA

SP DST (Wlfc) 8760-8870', open 2 hrs 30
min, rec 90' mud + 180' CCM + 90' OGGON,

2 hr ISIP 2628#, FP 94-171#, 4 hr FSIP 2547#

12-16-69

TD 10,700'; PLUGGED & ABANDONED

Well Drilled Tight

LOG TOPS: Anhydrite 1600', Salt 1750', Base
Salt 2150', Yates 2350', San Andres 3580',
Grayburg 5150', Tubb 6550', Ato 7520',
Wolfcamp 8420', Pennsylvanian 9070',
Mississippian 10,680'

12-18-69

COMPLETION REPORTED

Memo

From

JOE D. RAMEY

SUPERVISOR & PRORATION
MANAGER

To

TD 10,700 8 5/8 @ 3650 13 3/8 342

25 @ TD

25 @ 9800

25 @ Abo

25 @ C/cr

25 shoe -

25 @ stub

25 @ 13 3/4

10 cap

10-23-69