SUBMIT IN TRIPLI'

(Other instruction reverse side)

UNITED STATES DEPARTMENT OF THE INTERIOR

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG					TC-063 10023	
APPLICATIO	N FOR PERMIT	TO DRILL, DEEP	EN, OR PLUG	EX CHEC	T. C. SI THE	OR TRIBE NAME
1a. TYPE OF WORK	ILL 🗷	DEEPEN	PLUG BA	CK 🗆	7. UNIT AGREEMENT N	AME
b. TYPE OF WELL OIL T	AS [8	SINGLE MULTI	PLE	S. FARM OR LEASE NAM	4E
WELL V	VELL OTHER		ZONE ZONE COX-P-danger "PM"			
2. NAME OF OPERATOR					9. WELL NO.	
Mobil 01	1					
3. ADDRESS OF OPERATOR	10. FIELD AND POOL, OR WILDCAT					
P. O. Box 633, Midland, Texas 79701 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)					Vada Penn Bough C	
At curface	11. SEC., T., R., M., OR BLK.					
1980' FSL &	DOO. LAT OI DEC	. 3, T-9-8, R-3	0-5		AND SURVEY OR AS	
At proposed prod. zo					Sec. 3, T-9-8,	R-36-E
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*					12. COUNTY OR PARISH	13. STATE
					Let	New Mexico
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any)			NO. OF ACRES IN LEASE		17. NO. OF ACRES ASSIGNED TO THIS WELL 160	
18. DISTANCE FROM PROPOSED LOCATION*			19. PROPOSED DEPTH 20. ROTARY OF		RY OR CABLE TOOLS	
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.			9,950	350 Rotary		
21. ELEVATIONS (Show w	hether DF, RT, GR, etc.)				22. APPROX. DATE WO	RK WILL START*
Ground Eleve	stion - 4,098'					
23.		PROPOSED CASING AN	D CEMENTING PROGE	RAM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT	
17-1/2	13-3/8	48#	400'	Cit	Circulate	
12-1/4	8-5/8	24# & 32#	4400'	Cit	Circulate	
7-7/8	5-1/2	15.5# & 17#	9950'	Circulate		
Hud Program	Canad Mard	I	ı	I		

Fresh water to salt, then brine water w/flosal, drispac & oil 400 - 4400

as needed

Fresh water, low solids 8.5 - 9.0 33-45 4400 - T.D.

Logging Program

GR Side Wall Neutron - Casing to T.D.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. pr

preventer program, it any.		
SIGNED as Bond A. D. Bond	Proration Staff Assistant	December 15, 196
(This space for Federal or State office use)		
PERMIT NO.	APPROVAL DATE	
APPROVED BY	TITLE 1069	DATE
CONDITIONS OF APPROVAL, IF ANY:	DEC 1 1 30 WA	
	Instructions On Reverse Stanistrict ENGINEER	
*See	Instructions On Reverse State ISTRICI	
	\	

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

な U.S. GOVERNMENT PRINTING OFFICE:1963—O-711-396

NEWI CO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACREAGE DEDICATION PLAT

HOBBS OFFICE O. C. C.

3342

Effective 1-1-65

All distances must be from the outer boundaries of the Section. BEE 22 Mobil Oil Corporation Cox-Federal what.it 9-S 36-E Lea A dual Post rp. Lo estion of Well: 660 Graund Lyvel Elev. Projuding Formittin Dedicated Acreage: Penn (Bough "C") 4098 Vada Penn 160 Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? Yes O No If answer is "yes," type of consolidation _ If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. T-9-5 R-36-E A. D. Bond Position Proration Staff Assistant Mobil Oil Corporation December 15, 1969 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my December 12, 1969 William Burn Registered Professional Engineer and/or Land Surveyor Set 1-1/4" I.P. for SW Cor. Sec. Curtis A. Callaway

2000