



4. *Respect for all life forms*

© Copyrighted Reproduction F7 5818-12-5

(Pennsylvanian) Perfs 9656-9825 NO NEW POTENTIAL

OPF5.11A

245

2-2-25 NM  
IC 30-025-70097-82

COUNTY LEA FIELD Vada STATE NM 30-025-23485  
 OPR SUPERIOR OIL CO., THE MAP  
 1 Hamm Com  
 Sec 13, T-9-S, R-34-E  
 660' FNL, 510' FEL of Sec CO-ORD  
 Spd 4-24-70  
 Cmp 6-2-70

| CSG & SX - TUBING        | CLASS               |       |           |       |
|--------------------------|---------------------|-------|-----------|-------|
|                          | FORMATION           | DATUM | FORMATION | DATUM |
| 11 3/4" at 412' w/400 sx |                     |       |           |       |
| 8 5/8" at 4200' w/670 sx |                     |       |           |       |
| 5 1/2" at 9920' w/250 sx |                     |       |           |       |
|                          |                     |       |           |       |
|                          |                     |       |           |       |
|                          |                     |       |           |       |
|                          |                     |       |           |       |
| LOGS EL GR RA IND HC A   |                     |       |           |       |
|                          | TD 9920'; PBD 9856' |       |           |       |

IF (Bough "C") Perfs 9809-25' F 672 BOPD + 240 BW. Pot based on  
 14 hr test thru 38/64" chk. GOR 1695; Grav 45; Cr Fkr; TP 300#.

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Tri-Service PROP DEPTH 9900' TYPE  
 DATE

F.R. 4-20-70; Opr's Elev. 4207' KB  
 PD 9900' (Bough "C")  
 Contractor - Tri-Service  
 6-18-70 AMEND FIELD NAME, Formerly reported as Undesignated.  
 4-27-70 Drlg. 1850'  
 5-4-70 Drlg. 4603' 1m  
 5-11-70 Drlg. 7590' 1m  
 5-18-70 Drlg. 8968' sh & 1m  
 5-25-70 TD 9820'; Prep DST 9749-9820'  
 6-1-70 TD 9920'; Prep Perf  
 DST 9749-9820', open 2 hrs, GTS 10 min @ 950 MCFOPD  
 thru 1/2" chk, SFF 130-50#, rev out 30 20 (grav 35)  
 + 10 B salt wtr, rec 50' mud below sub, 1 hr ISIF  
 1836#, FP 366-1305#, 1 hr PSIF 1836#, HP 5157-  
 5048#.

LEA  
SUPERIOR OIL CO., THE

Vada

NM  
1 Hamm Com

Sec 13, T9S, R34E  
Page #2

6-8-70 TD 9920'; PED 9856'; WO Potential  
Perf (Bough "C") 9809-25' w/2 SPF  
Acid (9809-25') 1000 gals  
Flwd 392 BO + 140 BW in 14 hrs thru 38/64" chk,  
GOR 1695, Grav 46, TP 300# (9809-25')  
6-15-70 TD 9920'; PBD 9856'; COMPLETE  
LOG TOPS: Yates 2747', Queen 3470', San Andres  
3962', Drinkard 6913', Abo 7715', Wolfcamp  
9002', Bough "C" 9800'  
6-18-70 COMPLETION REPORTED