		1-		. = 4	ed seed a grade some of	*					
	PIES RECEIVED				Form C-1 Supersed	es Old					
SANTAFE	BUTION	NEW MEXIC	CO OIL CONSE	RVATION COMMISSION	C-102 an Effective						
FILE		NEW MEXIC	ed one combe	N / N LOT GOMMIOUS OF		1-1-03					
U.S.G.S.				•	5a. Indicate	Type of Lease					
LAND OF	FICE	•	A STATE OF THE STA		State	Fee X					
OPERATO	R				5, State Cil	& Gas Lease No.					
				<u> </u>		mmmm					
(00	NOT USE THIS FORM FOR PRO		EPORTS ON LEPEN OF PLUG BA	CK TO A DIFFERENT RESERVOIR.							
OIL WELL		OTHER+			7, Unit Agre						
flame of C	•	or Co			. I ''	7103 JV-D					
Address	Maurice L. Bro	wn co.			9. Well No.	7103 01-0					
		Place Bldg.	Wichita	, Kansas 67202		1					
1. Location		Trace Drage,	7.20112.00		10. Field on	d Pool, or Wildcat					
	TTER	980	North	1980	Vada	Penn					
UNIT LE	TTER	FELT FROM TH		and a state and annual administration of the FCS	IIIII	HIHHH					
THE	West LINE, SECTION	on It	9-S	MANGE 34-E	NMPM.						
						.11111111111111111111111111111111111111					
		11111	· · · · · · · · · · · · · · · · · · ·	OF, RT, GR, etc.)	12. County						
7777777		11111 45	289 GR 43	00 KB	Lea						
10.		Appropriate Box To	o Indicate Na 	ature of Notice, Report subsec	or Other Data	OF:					
	·	•	1771	ſ	-						
PERFORM RE	EMEDIAL WORK	PLUG ANI	D ABANDON [X]	REMEDIAL WORK	=={	LTERING CASING					
	Y ASANDON	CHANGE 1	[CASING TEST AND CEMENT JOB	=	LUG AND ASANDONMENT					
PULL OR AL	TER CASING	CHARGE !		OTHER	-						
OTHER	:										
17. Describe work) \$	e proposed or Completed Op EE RULE 1103.	perations (Clearly state a	itt pertinent deta	ils, and give pertinent dutes, in	iciuaing estimatea aat	e of starting any proposed					
1.	Move in PBCP	Services, In	nc. and 2	3/8" OD tubing	•						
2.	Set cast iron open hole from	n bridge plug om 96381-9665	$5^{\frac{1}{2}}$, and c	casing at 9588' ap with 35' of (, 50' above cement.	the					
3.	3. Pick up 2 3/8" OD tubing and load hole through tubing with mud laden fluid.										
4.	Shoot off casing at free point estimated at 6000'.										
5.	Pull and lay down 5 casing.										
6.	Spot 35 sacks cement through tubing inside 5% casing, 50' below easing stub. Tag top of cement.										
	estimuted to	he at 3320'.	, TH FIX PL	ng at 5370' acres of commission must be to the commission must be to the commissions as	BE NOTIFIED 24	Glorieta					
I Hereby	certify that the information	s above is true and compl	ete to the beal G	E KAPPROVED belief.		- · · · · ·					
SIGNED V	Mr. Gross	beck	title Di	strict Engineer	DATE	9-6-73					
						The second secon					
Ø DBVØR44A		rig Styned by	SE	P 7 1978	UATC						

- 関係関係の関係には、1977年の一般的などは必須の関係の関係を持ち、対象に決定して、対象のでは、対象のでは、1977年のでは、1977年の対象には、1977年の対象には、1977年のでは、1977年の

CECNICIO DE LA CONTRA DEL CONTRA DE LA CONTRA DEL LA CONTRA DE LA CONTRA DE LA CONTRA DEL LA CONTRA DE LA CONTRA DE LA CONTRA DEL LA CONTRA DE LA CO

SEP 71978

LOBBS N. B

						Form C-103				
NO. OF COPIES RECEIVED						Supersedes (
DISTRIBUTION		NEW MEY!	CO OIL CONS	EDVATIO	N COMMISSION	C-102 and C Effective 1-1				
SANTA FE		NEW WEXT	CO OIL CONS	ERVALIO	N COMMISSION	Ettective 1-f	-03			
FILE						Sa, Indicate Typ	e of Legse			
U.S.G.S.				•		State	Fee 🔼			
LAND OFFICE						5, State Oil & G				
SPERATOR					*	5, State Cit & G	ds Ledse No.			
				· · · · · · · · · · · · · · · · · · ·						
(DO NOT USE TH	SUIS FORM FO	NDRY NOTICES AND R	EPORTS ON	WELLS	FFERENT RESERVOIR. S.)					
OIL X	GAS .	OTHER-				7. Unit Agreeme				
The Mauric	e L.	Brown Co.					Evans 7103 JV-D			
. Address of Operator		700 700 7	17. 1 . 1	. 77	60000	9. Well No.	9. Well No.			
Suite 200,	Sutt	on Place Bldg.,	, wichit	a, kan	sas 67202		/			
i. Location of Well							10. Field and Pool, or Wildcat			
	म	1980 FEET FROM TH	. North	I INF AN	. 1980	Vada P	. Vada Penn			
	•									
THE West	LINE, S	TOWI	NSHIP	RAN	6E 34-E NM	.ew. ///////////////////////////////////				
mmm	m	15. Elevation	(Show whether	DF, RT, G	R, etc.)	12, County	-7//////////			
		////////	-289 GR			Lea				
<i>žimini</i>	77777									
N		eck Appropriate Box Top intention Top	o indicate	Nature of	-	Other Data ENT REPORT OF	: :			
	<u></u>		. 107-11		<u></u>					
PERFORM REMEDIAL WO	* <u> </u>	PLUG AN	ID ABAHDON X	REMEDIAL	- WORK	ALTE	CRING CASING			
TEMPORABILY ABANDON				COMMENC	E DRILLING OPNS.	PLUG	AND ABANDONMENT			
PULL OR ALTER CASING		CHANGE	PLANS	CASING T	EST AND CEMENT JOB					
			-	OTHER						
OTHER	·						*			
				1		di antimoted data a	f starting any proposed			
7. Describe Proposed work) SEE RULE		ted Operations (Clearly state	all pertinent de	taus, ana g	ive pertinent dates, inclu	aing estimated date of	starting any proposed			
•						0 ~ (0)				
8. Spot shoe	Spot 50 sacks cement through tubing at 3985' across 8 5/8" casing shoe at 3935'. Tag top of cement.									
9. Shoot	off	8 5/8" casing a	t free	point	and lay down	8 5/8" cas	sing.			
					0 er/01:					
10. Spot below	70 sa casi	cks cement throng stub. Tag	ough tub top of c	ing in ement.	uside 5 5/3" (casing, ju				
					SIDOL FOLL	atar 10 3 A	, 11			
11. Spot casi	Spot 70 sacks cement through tubing at 420', 50' below 12 $3/4$ " casing shoe at 370'.									
12. Spot	. Spot 10 sacks cement inside 12 3/4" casing at surface. Erect dry hole marker. Clean and level location.									
ary :	iore a	larker. Olean a	and leve	T TOC	(OTO):1•					
			THE COM	MISSION	MUST BE NOTIFIED	_				
			HOURS F	NOR TO	THE BEGINNING O	24				
			PLUGGING	OPERATI	ONE FOR THE	OF				
			TO BE AP	ROY5D	THE BEGINNING (ONS FOR THE C-10)3				
				- 4100						
					dada and baling					
I hereby certify the	t the inform	nation above is true and comp	iete to the beal	or my know	neuge and Denet.					
\	λ	\\\\		***			0.04 m0			
IUNEO WM.	KU/L	0230ECK_	TITLE	Distri	ct Engineer	DATE	9-01-78			
		0-1-0-177-1				The second secon				
		Order Signed In		ern	7 1978					
		Jerry Souten	TITLE	うして	• •	DATE				

REDEIVED

SEH 21970

CO. COUNTAINATION COMM.