

COUNTY	LEA	FIELD	Wildcat	STATE	NM	API	30-025-24036
OPR	HANSON OIL CORP.					SERIAL	
NO.	1	LEASE	Midwest - State			MAP	
	Sec 2, T-9-S, R-33-E					CO-ORD	
	990' FSL, 990' FEL of Sec					ELEV. DF	

SPD		3-2-72		CMP		12-8-72		CLASS		GL	
CSG & SX		FORMATION		DATUM		FORMATION		DATUM			
12 3/4" at 420' w/450 SX											
8 5/8" at 4262' w/300 SX											
5 1/2" at 9600' w/500 SX											
LOGS EL GR RA IND HC A		TD		9600'		PBD					

IP (Bough C) Perfs 9562-85' P 100 BOPD + 1152 BW. Pot based
on 24 hr test. GOR TSTM; Grav 45

CONTR	MGF	OPRS ELEV	4340	GLPD	9500'	TYPE	RT
-------	-----	-----------	------	------	-------	------	----

FR 2-15-72
(Bough "C")
3-6-72 Drlg. 330'
3-13-72 TD 4650'; Prep DST
3-20-72 Drlg. 7380'
DST 4540-4650', open 1 hr 30 mins, rec 1320'
sulf wtr & DF, 1 hr ISIP 1637#, FP 222-655#,
2 hr FSIP 1595#
3-27-72 Drlg. 8748'
4-3-72 TD 9580'; Prep Drill
DST 9540-80', open 1 hr 31 mins, GTS in 1 hr 5
mins @ 3 MCFGPD, rec 410' O&GCM + 2090' GC
salt wtr, 1 hr ISIP 2183#, FP 427-1368#, 3 hr
FSIP 2183#

4-10-72 TD 9600'; MICU
4-17-72 TD 9600'; WO Ppg Equip
Perf 9571-78', 9583-85' w/2 SPF
Acid (9571-85') 2500 gals
4-24-72 TD 9600'; TO Pmp
5-1-72 TD 9600'; TO Pmp
Ppd 38 BO + 504 BW in 24 hrs
5-8-72 TD 9600'; TO Pmp
Ppd 624 BW in 24 hrs (9571-85')
Perf 9562-71', 9578-83' w/2 SPF
Acid (9562-85') 1000 gals
5-15-72 TD 9600'; TO Pmp
Ppd 6 BO + 648 BW in 24 hrs
5-22-72 TD 9600'; TO Pmp
Ppd 11 BO + 672 BW in 24 hrs (9562-85')

5-30-72 TD 9600'; TO Pmp
Ppd 26 BO + 408 BW in 24 hrs
6-5-72 TD 9600'; TO Pmp
Ppd 11 BO + 672 BW in 24 hrs (9562-85')
6-12-72 TD 9600'; TO Pmp
Ppd 19 BO + 768 BW in 24 hrs
6-19-72 TD 9600'; TO Pmp
Ppd 22 BO + 1150 BW in 24 hrs
6-26-72 TD 9600'; TO Pmp
7-10-72 TD 9600'; TO Pmp
Ppd 33 BO + 912 BW in 24 hrs (9562-85')
7-17-72 TD 9600'; TO Pmp
Ppd 19 BO + 1104 BW in 24 hrs
7-24-72 TD 9600'; TO Pmp
Ppd 9 BO + 1152 BW in 24 hrs

7-31-72 TD 9600'; TO Pmp
Ppd 5 BO + 1100 BW in 24 hrs
8-7-72 TD 9600'; TO Pmp
Ppd 5 BO + 1152 BW in 24 hrs (9562-85')
8-14-72 TD 9600'; TO Pmp
Ppd 6 BO + 1056 BW in 24 hrs (9562-85')
3-21-72 TD 9600'; TO Pmp
Ppd 3 BO + 912 BW in 24 hrs (9562-85')
8-28-72 TD 9600'; TO Pmp
Ppd 17 BO + 1200 BW in 24 hrs (9562-85')
9-5-72 TD 9600'; TO Pmp
Ppd 11 BO + 1200 BW in 24 hrs
9-18-72 TD 9600'; TO Pmp
9-25-72 TD 9600'; TO Pmp
Ppd 8 BO + 1152 BW in 24 hrs

10-2-72 TD 9600'; TO Pmp
Ppd 19 BO + 1056 BW in 24 hrs
10-9-72 TD 9600'; TO Pmp
Ppd 22 BO + 1152 BW in 24 hrs (9562-85')
10-16-72 TD 9600'; TO Pmp
Ppd 27 BO + 1152 BW in 24 hrs (9562-85')
10-23-72 TD 9600'; TO Pmp
Ppd 28 BO + 1152 BW in 24 hrs
10-30-72 TD 9600'; TO Pmp
11-6-72 TD 9600'; TO Pmp
Ppd 36 BO + 1152 BW in 24 hrs (9571-85')
11-13-72 TD 9600'; TO Pmp
Ppd 39 BO + 1068 BW in 24 hrs
11-27-72 TD 9600'; TO Pmp
Ppd 36 BO + 1152 BW in 24 hrs

LEA
HANSON OIL CORP.

Wildcat
1 Midwest - State

NM Sec 2, T9S, R33E
Page #4

12-11-72
12-18-72

TD 9600'; TO Pmp

TD 9600'; COMPLETE

LOG TOPS: Anhydrite 2080', Yates 2620', Seven
Rivers 2900', Queen 3430', Grayburg 3619',
San Andres 3838', Glorieta 5274', Tubb 6773',
Drinkard 6918', Abq 7654', Wolfcamp 8857',
Pennsylvanian 9238', Bough "C" 9560'

12-23-72

COMPLETION REPORTED