

NEW MEXICO OIL CONSERVATION COMMISSION

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
<b>8-1347</b>

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator	<b>None</b>
3. Address of Operator	8. Farm or Lease Name
<b>Anderson Oil &amp; Gas Company, Inc.</b>	<b>State 35</b>
4. Location of Well	9. Well No.
UNIT LETTER <b>F</b> <b>1830</b> FEET FROM THE <b>West</b> LINE AND <b>1980</b> FEET FROM	<b>1</b>
THE <b>North</b> LINE, SECTION <b>35</b> TOWNSHIP <b>11-S</b> RANGE <b>33-E</b> NMPM.	10. Field and Pool, or Wildcat
	<b>Undesignated</b>
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
<b>4233' OL</b>	<b>Lea</b>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PLUG OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-5-72 Spud well @ 2:00 p.m., 11-4-72. Drilled 17-1/2" hole to 410' in red beds. Ran 11 jts 12-3/4", 41# H-40 csg & cemented @ 410' with 400 sx. Plug down 9:00 p.m., 11-4-72. Cement circulated.

11-6-72 WOC 18 hrs tstd csg to 500# for 15 min, ok. Drilled 11" hole to 2091' in anhydrite and salt.

11-7-72 Drilling 11" hole in anhydrite and salt at 2870'.


11-8-72 Drilling 11" hole in anhydrite and salt at 3456'.

11-9-72 Drilled 11" hole to 3770' in lime and dolomite. Ran 97 jts 8-5/8", J-55, 24# & 28# casing and cemented w/300sx @ 3770'. Plug down @ 7:00 a.m., 11-9-72. Calculated cement top 1965'.

11-10-72 WOC 18 hrs. Tstd csg to 1000#, ok. Drilled 7-7/8" hole to 3920' in lime.

11-11-72 Drilling 7-7/8" hole in lime @ 4617'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED 	TITLE <b>Engineer</b>	DATE <b>11-15-72</b>
APPROVED BY <b>Joe D. Ramey</b>	TITLE <b>Dist. I, Supv.</b>	DATE <b>NOV 20 1972</b>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

17 1972

OIL CONSERVATION COMM.  
HEDLEY, N. M.