

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator BTA OIL PRODUCERS		8. Farm or Lease Name Brewer 689-C Ltd.
3. Address of Operator 104 South Pecos Midland, Texas 79701		9. Well No. 4
4. Location of Well UNIT LETTER "F" 1880 FEET FROM THE North LINE AND 2080 FEET FROM THE West LINE, SECTION 6 TOWNSHIP 12-S RANGE 33-E NMPM.		10. Field and Pool, or Wildcat N. Bagley (Penn)
15. Elevation (Show whether DF, RT, GR, etc.) 4301' GR		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Notify NMOCC 24 hrs in Advance

1. POH w/2 3/8" tbg
2. Cut & pull 5 1/2" csg @7150'
3. Set 40 sx plug @ 5 1/2" stub
4. Set 40 sx plug @ 5130' T/Glorietta
5. Set 50 sx plug @3725' (50' In & Out 8 5/8" Shoe)
6. Cut & pull 8 5/8" csg. T/C @2020'
7. Set 75 sx plug @ 8 5/8" stub
8. If salt is exposed, set 75 sx plug @ top of salt @1800'
9. Set 75 sx plug @ 389' (50' In & Out 13 3/8" shoe)
10. Set 10 sx plug @ Surface
11. Install Dry hole marker

Verbal Approval by Jerry Sexton NMOCC 3/30/77

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dorothy Neughton TITLE Production Clerk DATE 4/15/77

Orig. Signed by
John Runyan
Geologist

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

Expires 10/18/77

APR 18 1977