

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p>
<p>1. Name of Operator <b>William K. Young</b></p>		<p>5. State Oil &amp; Gas Lease No.</p>
<p>2. Address of Operator <b>750 West Fifth St., Ft. Worth, Texas 76102</b></p>		<p>7. Unit Agreement Name</p>
<p>3. Location of Well UNIT LETTER <b>C</b> <b>660</b> FEET FROM THE <b>North</b> LINE AND <b>1980</b> FEET FROM THE <b>West</b> LINE, SECTION <b>17</b> TOWNSHIP <b>10-S</b> RANGE <b>33-E</b> NMPM.</p>		<p>8. Farm or Lease Name <b>State of New Mexico</b></p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) <b>GR 4191</b></p>		<p>9. Well No. <b>1</b></p>
<p>12. County <b>Lea</b></p>		<p>10. Field and Pool, or Wildcat <b>Cormac</b></p>

<p>16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data</p>	
<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/></p> <p>PULL OR ALTER CASING <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p>	<p>SUBSEQUENT REPORT OF:</p> <p>PLUG AND ABANDON <input type="checkbox"/></p> <p>CHANGE PLANS <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p> <p>REMEDIAL WORK <input type="checkbox"/></p> <p>COMMENCE DRILLING OPNS. <input type="checkbox"/></p> <p>CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p> <p>ALTERING CASING <input type="checkbox"/></p> <p>PLUG AND ABANDONMENT <input type="checkbox"/></p>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

23 May 1975

Drilled from surface to 356' in redbed. Ran 8 joints of 8 5/8" 28# casing (360') set @356'. Halliburton cemented w/250 sks. Class "C" cement w/2% Ca Cl<sub>2</sub> per sack. Cement circulated to surface. After 12 hours, tested pipe and cement to 600# pressure for 30 minutes with no loss of pressure on test.

<p>18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.</p>		
<p>SIGNED <u><i>John Runyan</i></u></p>	<p>TITLE <u>District Engineer</u></p>	<p>DATE <u>June 16, 1975</u></p>
<p>APPROVED BY <u><i>John Runyan</i></u> Geologist</p>	<p>TITLE <u>Geologist</u></p>	<p>DATE <u>JU</u></p>
<p>CONDITIONS OF APPROVAL, IF ANY:</p>		