

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS</p> <p align="center">DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p> <p>5. Well No. <u>1</u></p>
<p>1. Name of Operator R. L. Burns Corp.</p>		<p>7. Unit Agreement Name N/A</p>
<p>2. Address of Operator 3990 First National Bank Building, Dallas, Texas 75202</p>		<p>8. Farm or Lease Name State '11'</p>
<p>3. Location of Well UNIT LETTER <u>J</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>11</u> TOWNSHIP <u>9S</u> RANGE <u>33E</u> NMPM.</p>		<p>9. Well No. 1</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 4346.4' GR.</p>		<p>10. Field and Pool, or Wildcat Vada Penn</p>
<p>12. County Lea</p>		

<p align="center">Check Appropriate Box To Indicate Nature of Notice, Report or Other Data</p>			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated dates of completion for proposed work) SEE RULE 1103.

1. Set cement retainer at 7290'. Loaded hole with 10# salt gel. Pumped 22 sx Class "C" cement below retainer with psi to 3800#. Pumped 78 sx Class "C" cement on top retainer.
2. Cut 5-1/2" casing at 4354' and pulled.
3. Spotted 70 sx Class "C" cement plug from 4384-4184'. Waited on cement 14 hrs, tagged plug at 4260'.
4. Spotted 75 sx Class "C" cement plug @ 3990-3790'. Waited on cement 4 hrs. Tagged plug at 3748'.
5. Spotted 35 sx Class "C" cement plug @ 2300-2200'.
6. Cut 8-5/8" casing at 445' and pulled.
7. Spotted 210 sx Class "C" cement plug @ 510-195'. Waited on cement 4 hrs. Tagged top of cement at 195'.
8. Set 40 sx Class "C" cement plug @ 0-60'.
9. Welded plate on 13-3/8" casing and installed dry hole marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge.

SIGNED Walter Cook TITLE Production Engineer June 10, 1977

APPROVED BY Nathan E. Clegg OIL & GAS INSPECTOR

CONDITIONS OF APPROVAL, IF ANY:

MAY 11 1978

RECEIVED

JUN 13 1977

U.S. COAST GUARD COMM.
WASH., D.C.