BUREAU OF LAND MANAGEMENT BUREAU OF LAND MANAGEMENT BURDENT WOTCES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Issee Support and the LC 065151 Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT -" for such proposals Itele to approach the support of such appropriate SUBMIT IN TRIPLICATE Type of Well SUBMIT IN TRIPLICATE 7. If later CA, Aprenent Designation Well approach to such proposals Type of Well Mark Gas 8. Well have and the. Dugan Production Corp. Billbrey 51 #4 D. Box 420 , Farmington, NM 87499 (505) 325 - 1821 D. Rook 420 , Farmington, NM 87499 (505) 325 - 1821 D. Box 470, or Epionatory Area Beed and fragment Rook D. Rook 420, in Strate Description D. Rook 420, in Strate Description Beed and Rook of The Description D. Rook 420, in Strate Description D. Rook 700000000000000000000000000000000000				A Oil Cone Lu	vicio	n
	orm 3160-5		STATES		1910	FORM APPROVED
BUREAU OF LAND MANAGEMENT SUDDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. SUBMIT IN TRIPUCATE 5.2 Joint, Addition of Table Name SUBMIT IN TRIPUCATE				1825 N. French D	r.	Budget Bureau No. 1004-0135
	,					Expires: March 31,1993
Do not use this form for proposals to drill or to deepen or rentry to a different reservoir. Use "APPLICATION FOR PERMIT." for such proposals SUBMIT IN TRIPLICATE Trype of Wet SuBMIT IN TRIPLICATE Trype of Automatic Integration SuBMIT IN TRIPLICATE SuBMIT IN TRIPLICATE Trype of Automatic Integration SuBMIT IN TRIPLICATE SuBMIT IN TRIPLICATE Trype of Automatic Integration SuBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMIT IN TRIPLICATE SUBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMIT IN TRIPLICATE SUBMITION SUBMITION SUBMITION SUBMITION SUBMITION					-	5. Lease Designation and Serial No.
Use "APPLICATION FOR PERMIT - " for such proposals SUBMIT IN TRIPLICATE I: Type of Well Gas I: Wead Gas I: Wead Gas Diggan Production Corp. Bill Report No. P.O. Box 4200, Farmington, NM. 87499 (505) 325 - 1821 States and Haphone Ro. D. API Well No. P.O. Box 4200, Farmington, NM. 87499 (505) 325 - 1821 States and Haphone Ro. D. Rel and Pool, of Exploratory Area Samotic MWell (roadpe, Ser. T, R. W, of Sume Describbon) In Rel and Pool, of Exploratory Area 1980 FEL & 860° FNL (Unit B) Samyer (San Andres) WW/V NE/4, Sec. 23, T9S, R37E, NMPM II. Courty Or Partin, State 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION G Notice of Infant B Recompletion Non-Routine Finduring I: Subsequent Report Diagan Repair Other Finduring I: Bortek Agoone Combined Operations (Contr, state All proteins and and proteinstate and and proteins						LC 065151
SUBMIT IN TRIPLICATE 1: Type of Well Case 7: If Unit or CA, Agreement Designation 1: Type of Well Case 7: If Unit or CA, Agreement Designation 1: Address and Telephone No. Bill/Drey S1 #4 0: Daw of Operation Dags of Telephone No. 9: API Well No. 0: Daw of Operation 0: Daw of Operation 9: API Well No. 0: Daw of Operation 0: Daw of Operation 9: API Well No. 0: Daw of Operation 0: Daw of Operation 9: API Well No. 1: County of Particington No. 10: Feed and Pool, or Exploratory Area 1: Set					voir.	6. If Indian, Allotted or Tribe Name
	·······			on proposals		4
Image: Section of Operator Ges 6. Well Name and No. Dugan Production Corp. Billibrey 51 #44 2. Name of Operator Billibrey 51 #44 3. Address of Texplore No. 9. Art well (notice; 56: 1, 8, 4, or Source Decision) 1980 FEL & 860' FNL (Unit B) Sawyer (San Andress) NW/4 NE/4, Sec. 23, T9S, R37E, NMPM Sawyer (San Andress) 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR DATA TYPE OF ACTION X Notice of Intent Abandomment Subsequent Report Change of Plans Subsequent Report Change of Plans Subsequent Report Conversion to Injection Subsequent Report Conversion to Injection Ib. Decise of Intent Abandomment Cherge of SubMission Conversion to Injection Ib. Decise of Intent Casing Repair Cherge of Submission Conversion to Injection Ib. Decise of Intent Casing Repair Cherge of Submission Conversion to Injection Ib. Decise of Intent Casing Repair Ib. Decise of Intent Casing Repair Trine I Abandomment Notice Cherge Casing Ib. Decise Adveco		SUBMIT	IN TRIPLICATE			
	1. Type of Well					7. If Unit or CA, Agreement Designation
	X		Other			
Dugan Production Corp. Bilbrey 51 #4 3. Address and Teleptone No. 9. APT Weil No. 9. O. Box 240, Farmington, NM 87499 (505) 325 - 1821 30 025 25215 Location of Weil (foodage, Sec, T., R., M. or Survey Description) 10. Field and Pool, or Exploratory Area 1980' FEL & 860' FNL (Unit B) Sawyer (San Andres) 11. County or Parish, State Lea, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION II. Notice of Intent Abandonment Budsequent Report Casing Repair Casing Repair Other II. Desche Proposed or Completed Operations (Cearly date all perimet date, including estimated date of starting any proposed work. If well a directionally offlict, get abudites bactions and manual and tox vector allogs for all markers and good patients to the work.* Plan to plug well as follows: 1. Set cast iron bridge plug 50' above perforations. Spot 35' cement on top of plug. 2. Spot plug 4150'-4220' inside casing. 2. 3. Perforate 2400', top of salt, squeeze 100' plug 2910'-3010', inside and outside casing. 2. 3. Perforate 2400', top of salt, squeeze 100' plug 2300'-2400', inside and outside casing. 2. 3. Perforate 2400', top of salt, squeeze 100' plug 2300'-30	2. Name of Ope		······································			8. Well Name and No.
A Decision 14 March 14 March 1420 Framington, NM 87499 (505) 325 - 1821 30 025 25215 30 025 25215 30 025 25215 10. Field and Pool, or Exploratory Area Sawyer (San Andres) 11. Client 248, Sec. 7, R, M, er Survey Description) 10. Field and Pool, or Exploratory Area Sawyer (San Andres) 11. Curry or Praint, Sate Lea, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 13. Notice of Intent 14. Levely certify that the foregoing is three and correct Speed 14. Levely certify that the foregoing is three and correct Speed 15. Decision for Submitting 16. Spot 50' Surface plug. 7. Cut off wellhead. Set dry hole marker. 15. Set SGD.) DAVID R. GLASS PETROLEUM ENGINEER 16. Sol 28. 2000 17. Set 24.00 17. Set 28. 2000 16. Spot 50, DAVID R. GLASS			· ·	·		Bilbrey 51 #4
		•				
1980' FEL & 860' FNL (Unit B) Sawyer (San Andres) 1980' FEL & 860' FNL (Unit B) Sawyer (San Andres) 11. Centry or Parish, Sate Lea, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION 12. Decrete Interview of Internt Implicit and the second of the second			(505) 325 - 1821			· · · · · · · · · · · · · · · · · · ·
NW/4 NE/4, Sec. 23, T9S, R37E, NMPM 11. County or Particle, State 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION II. County or Particle, State Lea, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION II. County or Particle, State II. County or Particle, State II. County of Intent II. County of Intent II. Subsequent Report II. Bandoonment Notice II. Casing Repair III. County of Particle, State III. County of Intent III. Cou	Location of Wel	II (Footage, Sec., T., R., M., or Survey Description)				10. Held and Pool, or Exploratory Area
NW/4 NE/4, Sec. 23, T9S, R37E, NMPM 11. County or Partial, State 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Image: Check appropriate box(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Image: Check appropriate box(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION Check app of Partial, State Image: Check app of the submission of the subm	1980' FEI	& 860' FNL (Unit B)				Sawyer (San Andres)
Lea, NM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION Notice of Intent Change of Plans Subsequent Report Plugging Back Final Abandonment Notice Attering Casing Conversion to Injection Dispose Water 13. Decrete Proposed or Completed Operators (Clearly state all perform dealls, and give perforations. Spot 35' cement on top of plug. 2. Spot plug 4150'-4250' inside casing. 3. Perforate 3010', base of sait, squeeze 100' plug 2910'-3010', inside and outside casing. 4. Perforate 2400', top of sait, squeeze 100' plug 2900'-2400', inside and outside casing. 5. Perforate 30' top of sait, squeeze 100' plug 2900'-2400', inside and outside casing. 6. Spot 50' surface plug. 7. Cut off wellihead. Set dry hole marker. Vice-president The sect for Metal or State office us) (DRIC: SGD.) DAVID R. GLASS		• •				have been a second s
TYPE OF SUBMISSION TYPE OF ACTION Image: Construction Image: Construction Image: Construction Recompletion Image: Construction Plugging Back Image: Constructio						Lea, NM
Notice of Intent X Abandonment Change of Plans Notice of Intent Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Final Abandonment Notice Altering Casing Repair Conversion to Injection Itering Casing Repair Dispose Water Conversion to Injection Itering Casing Repair State all periment detsis, and give periment dets, including astructures and nonespertment to this work.)* Planto plug ast	12. CHEC	CK APPROPRIATE BOX(s) TO IN	DICATE NATURE			OTHER DATA
Recompletion Recompletion Recompletion Recompletion Plugging Back Non-Routine Fracturing Casing Repair Casing Repair Casing Repair Casing Repair Recompletion Re					<u> </u>	
Subsequent Report Plugging Back Non-Routine Fracturing Final Abandonment Notice Casing Repair Water Shu-Coff Conversion to Injection Dipose Water Conversion to Injection 13. Decrete Proceed or Completed Operators (Clearly state all pertures details, and give perfinent dates, including estimated date of stanting any proposed work. If well is directionally drilled, give auburface locations and measured and true vertical depts for all markers and zones perforations. Spot 35' cement on top of plug. 2. Spot plug 4150'-4250' inside casing. Perforate 2400', top of salt, squeeze 100' plug 2910'-3010', inside and outside casing. 4. Perforate 2400', top of salt, squeeze 100' plug 2910'-3010', inside and outside casing. Perforate 2400', top of salt, squeeze 100' plug 200'-2400', inside and outside casing. 5. Perforate 2400', top of salt, squeeze 100' plug 200'-2400', inside and outside casing. Public optimized casing. 6. Spot 50' surface plug. Public optimized casing. Public optimized casing. 7. Cut off wellhead. Set dry hole marker. Public optimized one state office usi. Public optimized one usi. 14. Litereby certify that the foregoing is true and correct Signed Vice-president Date 01/19/2000 Set for Mean of State office usi. (OPLIC: SGD.) DAVID R. GLASS PETROLEUM ENGINEER JAN 2 8 2003	X	Notice of Intent				•
Casing Repair Casing Repair Conversion to Injection Dispose Water Conversion to Injection Dispose Water Dispose Poponed or Completed Operations Clearing Dispose of Salt, squeeze 100' plug 2910'-3010', inside and outside casing. Dispose Salt of the Water Salt of the Water Dispose of Salt of the Water Salt of the Water Dispose of Salt, squeeze 100' plug 2300'-2400', inside and outside casing. D		Subcequent Denort				
Final Abandonment Notice Final Abandonment Notice Attering Casing Conversion to Injection Dispose Water (the:: Inport marks of multiple completion on Water (the:: Inport marks of multiple completion on Water (the:: Inport marks of multiple completion on Water (the:: Inport marks of multiple completion on Water (the:: Inport marks of multiple completion on Water (the:: Inport marks of multiple completion on Water Plan to plug well as follows: Sec cast iron bridge plug 50' above perforations. Spot 35' cement on top of plug. Sope plug 4150'-4250' inside casing. Perforate 30'0', base of salt, squeeze 100' plug 2910'-3010', inside and outside casing. Perforate 50' below surface casing, squeeze 100' plug 2300'-2400', inside and outside casing. Sopt 50' surface plug. Cut off wellhead. Set dry hole marker. It I hereby certify that the foregoing is true and correct Signed Chiese of Materal or State office use) (CRIC: SGD.) DAVID R. GLASS FETROLEUM ENGINEER		Subsequent report				•
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and two vertical depths for all markers and zones pertinent to this work.)* Plan to plug well as follows: 1. Set cast iron bridge plug 50' above perforations. Spot 35' cerment on top of plug. 2. Spot plug 4150'-4250' inside casing. 3. Perforate 3010', base of salt, squeeze 100' plug 2910'-3010', inside and outside casing. 4. Perforate 2400', top of salt, squeeze 100' plug 2300'-2400', inside and outside casing. 5. Perforate 50' below surface casing, squeeze 100' plug inside and outside casing. 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hole marker. 14. Thereby certify that the foregoing is true and correct Signed John Alexander (Chiers sGD.) DAVID R. GLASS		Final Abandonment Notice	Altering Casir	ng		Conversion to Injection
4. I hereby certify that the foregoing is true and correct Signed A. I hereby certify that the foregoing is true and correct Signed John Alexander True Vice-president Date 01/19/2000 This space for Federal or State office use) (ORIG. SGD.) DAVID R. GLASS PETROLEUM ENGINEER JAN 2 8 2000	3. Describe Pro	oposed or Completed Operations (Clearly state all pertine re subsurface locations and measured and true vertical o	Other Other I ort details, and give pertinent da	ates, including estimated date of starting a	any prop	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Signed John Alexander Title Vice-president Date 01/19/2000 This space for Federal or State office use) (ORIG. SGD.) DAVID R. GLASS PETROLEUM ENGINEER JAN 2 8 2000	3. Describe Pro giv	 Pposed or Completed Operations (Clearly state all pertine re subsurface locations and measured and true vertical of Plan to plug well as follows: 1. Set cast iron bridge plug 50' a 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of a spot 50' surface plug. 	Definition of the contract of	stes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and o 300'-2400', inside and ou	of pl outsic tside	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) posed work. If well is directionally drilled, Ug. de casing. ng.
(This space for Federal or State office use) (ORIC. SGD.) DAVID R. GLASS (ORIC. SGD.) DAVID R. GLASS	13. Describe Pro giv	 Pposed or Completed Operations (Clearly state all pertine re subsurface locations and measured and true vertical of Plan to plug well as follows: 1. Set cast iron bridge plug 50' a 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of a spot 50' surface plug. 	Definition of the contract of	stes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and o 300'-2400', inside and ou	of pl outsic tside	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) moded work. If well is directionally drilled, Ug. de casing. ng.
(ORIG. SGD.) DAVID R. GLASS PETROLEUM ENGINEER JAN 2 8 2000	giv	 Plan to plug well as follows: 1. Set cast iron bridge plug 50' 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hole 	Definition of the contract of	stes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and o 300'-2400', inside and ou	of pl outsic tside	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) moded work. If well is directionally drilled, Ug. de casing. ng.
	giv 14. I hereby ce	Plan to plug well as follows: 1. Set cast iron bridge plug 50' a 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hol	Other O	ates, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and ou 300'-2400', inside and ou 0' plug inside and outside	of pl outside tside casi	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) posed work. If well is directionally drilled, ug. le casing. ng. 2 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5
	giv 14. I hereby ce Signed (This space for F ((Approved by	Plan to plug well as follows: 1. Set cast iron bridge plug 50' a 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hol ertify that the foregoing is true and correct Manual Manual Man	Other O	tes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and ou 300'-2400', inside and ou 0' plug inside and outside dent	of pl outside casi	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) posed work. If well is directionally drilled, ug. de casing. ng. 2 2 3 3 4 4 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7
SEE ATTACHED FOR	giv 14. I hereby ce Signed (This space for F ((Approved by	Plan to plug well as follows: 1. Set cast iron bridge plug 50' i 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hol ertify that the foregoing is true and correct Manual Manual Man	Other O	tes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and ou 300'-2400', inside and ou 0' plug inside and outside dent	of pl outside tside casi ate	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) posed work. If well is directionally drilled, Ug. de casing. ng. 2 2 2 3 2 3 2 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5
SEE ATTACHED FOR Trile 18 U.S.C Series 100, makes as promotion and provide the united States and false, fictitious or fraudulent statements or representations as to adverse the statement of the United States and false, fictitious or fraudulent statements	giv 14. I hereby ce Signed (This space for F ((Approved by Conditions of ap	Plan to plug well as follows: 1. Set cast iron bridge plug 50': 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hol ertify that the foregoing is true and correct Manual Manual Manual Manual Manual Manual proval, if any: SEE ATTACHED F	Other O	tes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and ou 300'-2400', inside and ou 0' plug inside and outside dent	of pl outside tside casi ate	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) posed work. If well is directionally drilled, Ug. de casing. ng. 2 2 2 3 2 3 2 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5
	giv 14. I hereby ce Signed (This space for F ((Approved by Conditions of ap	Plan to plug well as follows: 1. Set cast iron bridge plug 50': 2. Spot plug 4150'-4250' inside 3. Perforate 3010', base of salt, 4. Perforate 2400', top of salt, s 5. Perforate 50' below surface of 6. Spot 50' surface plug. 7. Cut off wellhead. Set dry hol ertify that the foregoing is true and correct Manual Manual Manual Manual Manual Manual proval, if any: SEE ATTACHED F		tes, including estimated date of starting a pertinent to this work.)* Spot 35' cement on top 2910'-3010', inside and ou 300'-2400', inside and ou 0' plug inside and outside dent	of pl outside tside casi ate	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) posed work. If well is directionally drilled, Ug. de casing. ng. 2 2 2 3 2 3 2 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5

.