NO. OF COPIES RECEIVE	D						· .	
DISTRIBUTION			WEW MEXICO OIL C	ONSERVATION	- Mulleon	0.51		
SANTA FE					20/0/01/2010		Form C-101 Revised 1-1-	65
FILE						1	5A. Indicat	e Type of Lease
U.S.G.S.							STATE	
LAND OFFICE							.5. State Oil	& Gas Lease No.
OPERATOR								a and Ecose No.
······································		-					mm	mmmmm
APPLI	CATION F	OR PERMIT	TO DRILL, DEER	PEN OR PLUG	BACK		///////	
la. Type of Work			10 0,1122, 022.		DACK		7. Unit Agr	eement Name
							,,, o, rigi	coment indine
b. Type of Well DRI	LLXX		DEEPEN		PLUG	ВАСК	8 Farm or I	Jease Name
OIL GA	s	OTHER		ZONE XX	м	JLTIPLE		
2. Name of Operator		UTHER	·····	ZONEXX		ZONE	9. Well No.	FPRR
Oil Develop	ment Cou	many of T	ovac					
3. Address of Operator	ment con	mpany of 1	exas					22 ad Pool, or Wildcat
D O Box 1	2050 4.	momillo T	aven 70101					
P. O. Box 1 4. Location of Well							West S	awyer (San Andre
UN	IT LETTER	G	LOCATED 1893	FEET FROM THE	Last	LINE	//////	
and 2000 fee		1	~ ~	0.0	_	F		
and 2000 fee	T FROM THE	THORED	LINE OF SEC. 33	<u></u>	RGE. 3	The second se	ПШП.	
	MMM				IIIII		12. County	
	<i>HHHH</i>	+++++++++	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	77777	HHHH	Lea	
	///////				//////			
	<i>\\\\\\</i>	++++++++++	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>	7/////		<u>11111.</u>	
				19. Proposed [Depth	19A. Formation		20, Rotary or C.T.
	ШШ	ШШШ		5100		San An	dres	Rotary
21. Elevations (Show whe	ther DF, RT,	etc.) 21A. K	ind & Status Plug. Bo	and 213. Drilling (Contractor		22. Approx	. Date Work will start
3974			<u>blanket-activ</u>	e	•			9-1-77
23.			PPOPOSED CASH	G AND CEMENT PR	000 11			
			I KUFUSED CASIN	G AND CEMENT PH	RUGRAM			
SIZE OF HOLE	S S12	E OF CASIN	G WEIGHT PER	FOOT SETTING	DEPTL	ISACKSOF	CEMENIT	EST TOP

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
12-1/4"	8-5/8"	24# K-55	420	250 sx	circ
7-7/8"	4-1/2"	10.5# K-55	5100	950 sx	circ

- Drill 12-1/4" surface hole. Run 420' ± 8-5/8" 24# K-55 casing and cement w/250 sx. Install double ram BOP, WOC 8 hr, test to 500 psi and drill out.
- Drill 7-7/8" hole to TD and run 4-1/2" 10.5# K-55 casing with DV collar at 2350', or 50' into Rustler Anhydrite. Cement 1st stage with 250 sx, 2nd stage with 700 sx.

APPROVAL VALID FOR 90 DAYS UNLESS DRILLING COMMENCED,

hereby certif	y that the information above is true and c	complete to th	e best of my kr	owledge and	belief.		
Signed	D.T. Stogner J.	Title	Drilling	Superin	tendent	_ Date	May 25, 1977
PPROVED B	(This space for State Use)	TITLE		••••	S JEKOT I	DATE	JUN 1 6 1977

RECEIVED

JUN 1 - 1977

CIL CONSERVAT. DA COMM. HOBBS, N. M.

	evelopment Co. (<pre>it is from the dual</pre>	S.E.P.R.F	2	22
	•					
	33	9 South	· · ·		Lea	
	levent tar in the an		2000		North	
	the a tenge ledu			st Sawyer	e De la companya de la De la companya de la c	80
	than me lease is and mosalts	s sector steel and a	well, addine	to actor actorates to .	n San serengen (kans	ta a a .
	Pares a tease of Communitization					
1 - 5		Mensel & Mark	Extension (Sec.)	an Cara an		
ntos fora ⊷ations	n if ne lessary (cable with be cosign	per En la transvertion d	n ala serena	• • • • • • • • • • • • • • • • • • •		
, 				a - The American Street Street		1. e
				1		• `
		SFFKI	F. 4.	and American Annual Provider	n Servet i serv	
		SFFKI	F. 4.	ne of a manufact of the second se	27.	Stoppen
		SFFKI	F. 4.	ne de anna de la contra de	27- D. T. Sto	Stoppen
		SFFKI	F. 4.	- H Э 3	D. T. Sto Drilling	gner, Jr. Superintendent pment Co. of Tex
	 	SFFKI	F. 4.	-B93	D. T. Sto Drilling Oil Develo	gner, Jr. Superintendent pment Co. of Tex
		SFFKI	L. STAT	R & LAND SURV	D. T. Sto Drilling Oil Develo	gner, Jr. Superintendent pment Co. of Tex
		SFFK	L. STAT	RELANDSURVEYOD	D. T. Sto Drilling Oil Develo	Moyne, gner, Jr. Superintendent pment Co. of Tex 77

