

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. L-3864
7. Unit Agreement Name
8. Farm or Lease Name Amoco State
9. Well No. 1
10. Field and Pool, or Wildcat Wildcat
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. ☐ OIL WELL ☐ GAS WELL ☐ OTHER- dry hole

2. Name of Operator
Oil Development Company of Texas

3. Address of Operator
P. O. Box 12058, Amarillo, Texas 79101

4. Location of Well
UNIT LETTER C 660 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 13 TOWNSHIP 10S RANGE 36E NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)
3993' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We propose to plug and abandon the subject well as follows:

1. Load hole with mud laden fluid from reserve pit.
2. Spot cement plugs with tubing as follows:
 - a. 4832-4932' (100' plug above perfs).
 - b. 2800-2900' (100' plug above base of salt).
 - c. 2220-2425' (200' plug across D.V. tool and above top of salt).
3. Cut off wellhead and put 10 sx plug at surface.
4. Install marker and clean up location.

No casing recovery is planned. Will notify the Oil Conservation Division prior to setting plugs. Starting date is approximately 8-10-78. Attached wellbore diagram reflects present wellbore status.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *Anthony J. Walker* TITLE Petroleum Engineer DATE July 31, 1978

APPROVED BY *Jerry Seaton* TITLE SUPERVISOR DISTRICT 1 DATE AUG 2 1978


CONDITIONS OF APPROVAL, IF ANY: Dist 1, Supv.

RECEIVED

AUG 1 1978

COMMUNICATION COMM,
ROOSE, M. E

Amoco Station
Ref: KB 3993' or 11' AGL



ASW 7-31-78

RECEIVED

APR 2 1978

REGISTRATION COMM.
ROBBE, R M