

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
		5. State Oil & Gas Lease No.
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
Name of Operator MGF Oil Corporation		8. Farm or Lease Name Thompson
Address of Operator P. O. Box 5027, Midland, Texas 79701		9. Well No. 1
Location of Well UNIT LETTER <u>A</u> <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM <u>East</u> <u>23</u> <u>10-S</u> <u>36-E</u> THE LINE, SECTION TOWNSHIP RANGE NMPM.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 3983 G.L.		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11/6/78

Ran 120 jts - 4 1/2", 10.5#/ft, K-55 ST&C csg. Landed @ 4989'. DV Stage tool @ 2303'. Cmt 1st stage w/400 sx cl "C" cmt. containing 10#/sx of salt. Open DV tool and cmt 2nd stage w/830 sx Halliburton Lite w/3# per sx of gilsonite, 1/4#/sx flocele and 2% CC. Followed by 100 sx cl "C" cmt w/2% CC. Plug down @ 7:30 pm 11/5/78. Ran temp survey. Found top of cmt on 2nd stage @ 390'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. E. Douthett TITLE Drilling Engineer DATE Nov. 8, 1978

APPROVED BY Jerry Sexton TITLE Dist. 1, Supv. DATE NOV 13 1978

CONDITIONS OF APPROVAL, IF ANY: