

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator John S. Goodrich	8. Farm or Lease Name Mathers
3. Address of Operator 300 W. Texas, Suite 718 Midland, Texas 79701	9. Well No. 2
4. Location of Well UNIT LETTER 0 766 FEET FROM THE South LINE AND 1874 FEET FROM East THE LINE, SECTION 33 TOWNSHIP 11-S RANGE 33-E N.M.P.M.	10. Field and Pool, or Well Unit Bagley Penn, North
15. Elevation (Show whether DF, RL, GR, etc.) 4264 GR	12. County Lea

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

8390' of tubing was dropped inside the 5½" csg. After fishing 43 days and incurring more than \$147,000 in expenses there still remains 5068' of 2 3/8" tbq with the top at 4726' and the bottom on a Halliburton Retrieval Bridge Plug at 9730'. An Impression Block, 30' joint of 3½" tbq and 25' sand line with rope socket sits on top of 2 3/8" tbq.

It is proposed to run and set a cement retainer at the top of the fish at 4690' and displace 100 sxs of cement through the retainer and then cut and recover the 5½" csg above the retainer. Set a 50 sx cement plug 50' below the 8 5/8" csg at 3742'. Set a 100' cement plug at the top of the Salt at 1740' and lastly set a 10/sx cement plug at the surface and install a marker. Carr Well Service is to P&A this well and mud laden brine to be left between the plugs.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED John S. Goodrich TITLE Operator DATE 11-27-92

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY DISTRICT 1 SUPERVISOR TITLE _____ DATE DEC 01 '92

CONDITIONS OF APPROVAL, IF ANY: