

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
L-1911-1	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Wildcat		7. Unit Agreement Name Wildcat
2. Name of Operator C. H. Brockett (formerly Edman R. Zinc)		8. Farm or Lease Name Zinc-State
3. Address of Operator Box 1005 Midland, Texas 79702		9. Well No. 1
4. Location of Well UNIT LETTER 0 600 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 21 TOWNSHIP 11-S RANGE 38-E NMPM.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) GR 3897 Rt3910		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Well has 13 3/8" 440'/circulated; 8 5/8" 4450'/circulated; 5 1/2" 12,315'/top of cement 8800'.
Hole to be loaded with mud laden fluid 9.5#. CIPB 12,000' w/3 sacks cement on top; cut
and recover 8500' 5 1/2" casing; spot 25 sack cement plug 8450'-8550' (in and out of stub);
spot 25 sack plug 7650'-7750' (Abo 7774'); 25 sack plug 5800'-5900' (Glorietta-5906');
45 sack plug 4400'-4500'; 25 sack plug 2300'-2400' (top of salt 2400'); 5 sack plug top
of surface with marker. Plugs to be spotted through tubing.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *C. H. Brockett* TITLE *Owner* DATE *12-24-79*

APPROVED BY *Jerry Sexton* TITLE *Dist. L. Supv.* DATE *JAN 6 1980*

CONDITIONS OF APPROVAL, IF ANY: