

Petroleum Information.

RE-ISSUED COMPLETION

COUNTY	LEA	FIELD	Caprock, N.	STATE	NM
OPR	ANTWEIL, MORRIS R.			API	30-025-2555
NO	1	LEASE	Lucky Larry	MAP	
	Sec 5, T12S, R32E			COORD	
	660' FSL, 1980' FEL of Sec				
	6 mi 3/Caprock			SPD	12-3-79
				CAP	6-25-88

CSG

13 3/8" at 366' w/375 sx
8 5/8" at 3700' w/1600 sx
5 1/2" at 11,290' w/1050 sx
2 3/8" at 11,030'

WELL CLASS: INIT D		FIN DO USE CODE	
FORMATION	DATUM	FORMATION	DATUM
ID 11,290' (MSSP)		PBD 11,225'	

TP (Mississippian) Perfs 11,112 1/2-11,190 1/2'
 F 120 BOPD. Pot based on 24 hr test thru 18/64" chk.
 GOR 9166, gty (NR), CP Pkr, TP 1050#

CONTR Abbott & Moranco #3 OPRSELEV 4404' GL PD 11,300' Com

F.R. 11-19-79
(Mississippian)
8-2-80 AMEND API: Formerly reported as 30-025-26545
2-3-79 Drlg 40' sd
12-10-79 TD 45'; WORT
12-18-79 Drlg 60' sd & gravel (w/CT)
1-8-80 TD 1226,; SI
4-14-80 Drlg 2585'
4-21-80 Drlg 5990'
5-19-80 Drlg 10,384'
6-11-80 TD 11,290'; PBD 11,225'; WOCT
DST (MRRWU) 10,830-859' op 3 hrs 30 mins, GTS
in 16 mins @ 400 MCFPD thru 3/8" chlk @ 105#,
RO 7 BGCM + 20 BSW, 1 hr ISIP 4301#, FF 182-844#,
6 hr FSIP 4301#
DST (MRRW) 10,974-11,112' op 1 hr 33 mins,
8-1-16 NM

LEA
ANTWELL, MORRIS R.

Caprock, N.
1 Lucky Larry
Sec 5, T12S, R32E

NM
Page #2

6-11-80

Continued
GTS in 15 mins @ 140 MCFPD, Rec 120' HGCM + 240'
GCM + 275' M, 1 hr ISIP 3668#, FP 177-266#,
4 hr FSIP 4133#
DST (CSTR) 11,120-290' op 4 hrs, GTS in 15 mins
@ 2500 MCFPD thru 3/8" chk @ 710#, Rec 12 30 +
5 BM + 2BW, 3 hr ISIP 3912#, FP 288-1326#,
8 hr FSIP 3934#

9-8-80

TD 11,290'; PBD 11,225' Complete
Perf (Mississippian) 11,112 1/2', 11,118', 11,129',
11,134', 11,137', 11,139 1/2', 11,145', 11,149 1/2',
11,155', 11,156 1/2', 11,162', 11,164', 11,168',
11,173', 11,176 1/2', 11,178', 11,182', 11,186',
11,188', 11,190 1/2', w/ISIP
Acid (11,112 1/2-190 1/2') 3000 gals (7 1/2%)
8-1-16 NM

9-8-80

Continued
LOG TOPS: Rustler Anhydrite 1470', Yates 2268',
San Andres 3565', Glorieta 4980', Tubb 6478',
Abo 7294', Wolfcamp 8414', Canyon 9417', Strawn
9742', Atoka 10,036', Morrow Clastics 10,811',
Mississippian Lime 11,200'
LOGS RUN: CNL, DENL, GRN, DILL, MICL
Rig Released 5-12-80

8-2-80

TEMPORARY COMPLETION ISSUED

9-13-80

RE-ISSUE OF SUSPENDED COMPLETION

8-1-16 NM
IC 30-025-70462-79

R-6125 NSL