

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR  
Brazos Petroleum Company
3. ADDRESS OF OPERATOR  
P.O. Box 1782 - Midland, Texas 79702
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1650' FSL & 990' FEL  
AT TOP PROD. INTERVAL: Same  
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) XX		


5. LEASE  
NM 28065
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME  
Yates "18" Federal
9. WELL NO.  
1
10. FIELD OR WILDCAT NAME  
Sawyer (San Andres)
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 18, T-9-S, R-38-E
12. COUNTY OR PARISH  
Lea
13. STATE  
New Mexico
14. API NO.  
30-025-27147
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3963 GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

3-26-82 RU Pulling Unit, pulled rods & pump, tagged PBTD @ 5041' with tbg. Pulled 160 jts tbg, tbg anchor, 1 jt tbg, 2" API SN, perf. nip, and 2 jts tbg, Ran Comb SN and mud anchor, SN, 2" tubing, spaced out tbg. SION.

3-27-82 Ran rods & pump, rigged down Pulling Unit.



Subsurface Safety Valve: Manu. and Type \_\_\_\_\_

Set @ Oil & Gas  
U.S. GEOLOGICAL SURVEY Ft.  
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED \_\_\_\_\_ TITLE Production Secretary DATE 3-26-82

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

ACCEPTED FOR RECORD

PETER W. CHESTER

JUN 14 1982

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

See Instructions on Reverse Side

RECEIVED

JUN 16 1982

CD  
HOBBS OFFICE