

COPY TO O.G.C.
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. NM 14204
2. NAME OF OPERATOR Coastal Oil & Gas Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 235 - Midland, Texas 79702		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 860' FEL, Section 31, T-9-S, R-33-E		8. FARM OR LEASE NAME Gonzales Federal "31"
14. PERMIT NO.		9. WELL NO. 6Y
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4250' RKB		10. FIELD AND POOL, OR WILDCAT Flying "M", San Andres
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 31, T-9-S, R-33-E
		12. COUNTY OR PARISH Lea
		13. STATE New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Running Casing

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

BBL Drilling Company spudded 12-1/4" hole @ 12:01 A.M. 2-21-81. Ran 41 joints (1721') 8-5/8" 24# casing and set @ 1721'. Cemented w/475 sx Class "C" w/4 % gel and 2% CaCl and 200 sx Class "C" w/2% CaCl. PD @ 4:50 A.M. 2-25-81. Cement circulated to surface. Casing tested to 1500 psi surface pressure with brine in hole. O.K. Core No. 1 - 4210' to 4270'; Core No. 2 - 4270' to 4317'.

Ran and cemented 102 joints (4304') 5-1/2" 15.5# casing and set @ 4317'. Cemented with 1260 sx Halliburton Light and 300 sx Class "C" 50-50 Poz. cement. PD @ 6:45 P.M. 3-12-81.

18. I hereby certify that the foregoing is true and correct

SIGNED

David J. Campbell

TITLE

Senior Engineer

DATE

4-15-81

(This space for Federal or State Receipt for Record)

APPROVED BY

Roger A. Chapman

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

APR 22 1981

U.S. GEOLOGICAL SURVEY

ROCKWELL, TEXAS

*See Instructions on Reverse Side