

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
2. NAME OF OPERATOR
Brazos Petroleum Company
3. ADDRESS OF OPERATOR
P.O. Box 1782 - Midland, Texas 79702
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL & 1980' FWL
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) XX	

5. LEASE
NM 28064
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Ferderber Federal
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Sawyer (San Andres)
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 7, T-9-S, R-38-E
12. COUNTY OR PARISH
Lea
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3972.3 GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

3-18-82 RU Clark Well Service. Pull rods and pump: 12' of 3/4" pony rods, 189 3/4" rods, 1-2" X 1 1/2" X 12' pump. SDON.
3-19-82 Install BOP - released anchor - pulled 148 jts tubing - Pengo AC - 1 jt tbg - SN - perf sub (3.00') - 2 jt tbg - 151 jts total. Ran 3-7/8" bit & sub and 159 jts tubing, tag PBDT 5041' - no fill. TOH w/tbg & bit
Ran Following:
MA Top 4' perforated & bottom orange-peeled 15.70'
1 25/32 SN 1.10'
156 jts tubing 4968.74'
Bottom KB 4993.54'
SN KB 4977.00'
Bottom Perfs 4964.00'
Ran 2" X 1 1/4" X 12' Pump, 6' gas anchor, 198 3/4" rods, Spaced out - put to
Subsurface Safety Valve: Manu. and Type pumping. Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Landy Carr TITLE Prod. Secretary

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____ DATE _____

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO
APR 27 1982

MAR 22 1982

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO