Form 9-331 Dec. 1973

## IN. M. OIL COMS. COMMISSION

Form Approved. Budget Bureau No. 42-R1424

## UNITED STATES P. O. BOX 1080 DEPARTMENT OF THE INTERIOR

LC 063623

5.	IF INDIAN,	<b>ALLOTTEE OR</b>	TRIBE NAME

CHINDDY	NOTICES	AND	<b>REPORTS</b>	$\Omega$ N	WELLS
SUNDRY	NUTICES	AIND	REFURIS	OIL	WELLS

**GEOLOGICAL SURVEY** 

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)

1.	oil well		gas well	X	other			
2. NAME OF OPERATOR Brazos Petroleum Company								
3. ADDRESS OF OPERATOR P.O. Box 1782 - Midland, Texas 79702								
4.	LOC	ATION	OF WEL	L (F	EPORT LOC	ATION CLI	EARLY. See	space 17

below.)

AT SURFACE:

1980' FSL & 1980' FWL

AT TOP PROD. INTERVAL: AT TOTAL DEPTH:

Same Same

XX

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

10. FIELD OR WILDCAT NAME Sawyer (San Andres)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME Kringel Federal

11. SEC., T., R., M., OR BLK. AND SURVEY OR

Sec. 31, T-9-S, R-38-E 12. COUNTY OR PARISH 13. STATE Lea New Mexico

14. API NO.

9. WELL NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD) 3939.1 GR

change on Form 9-330.)

REQUEST FOR APPROVAL	TO:
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	
PULL OR ALTER CASING	
MULTIPLE COMPLETE	
CHANGE ZONES	
ABANDON*	Ш
(other)	

ROSWELL, NEW MEXICO

SUBSEQUENT REPORT OF: 1 5 1981 OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO

ort results of multiple completion or zone

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

MI & RU Pool Well Service Completion Unit, released RTTS pkr , POH - WIH 10-11-81 with 2 jts 2 3/8" tbg MA, 3' perforated nipple, SN, 1 jt tbg, Pengo tbg anchor, 156 jts 2 3/8" tbg (4876.68') tagged TD, set TA with 15,000# tension @ 4888', PN @ 4920' (top perf @ 4936').

Subsurface Safety Valve: Manu. and Type		Set @ Ft.
18. I hereby certify that the foregoing is t	rue and correct Production Secretary TITLE DATE	10-12-81
ROGER A. CHAPMAN APPROVED BY	(This space for Federal or State office use)  TITLE DAT	E
U.S. GEOLOGICAL SURVEY	· · · · · · · · · · · · · · · · · · ·	