S	TATE OF	NEW	MEXICO	
HNERGY	анд Мілі	ERALS	DEPART	MENT

ue, of conice acceived	OIL CONSERVA	TION DIVISION	
DISTRIBUTION	P. O. BO		Form C-103
JANTA FE			Revised 10-1-78
716	SANTA FE, NEW	MEXICO 87501	
U.S.G.S,	-1		Sa. Indicate Type of Lease
LAND OFFICE	-		State X Fee
OPERATOR			5. State Oll & Gas Lease No.
	-		V-665
SUND (DO NOT USE THIS FORM FOR PA USE "APPLICA	RY NOTICES AND REPORTS ON 100003415 TO DRILL ON TO DEEPEN OF PLUG D TION FOR PERMIT -" (FORM C-101) FOR SUC	WELLS ACA TO A DIFFERENT RESERVOIR. H PROPOSALS.)	
	OTHER-		7, Unit Agreement Name
, liame of Operator			8. Farm or Lease Name
Yates Petroleum Corpo , Address of Operator	oration	44 4 FUEL & FUEL	Sand Springs AEH State
105 South Fourth Stre	eet - Artesia, NM 88210		1
Location of Well	ct Artesta, Mi 00210	·····	10. Field and Pool, or Wildcat
UNIT LETTER	330 FEET FROM THE North	LINE AND FLET FRO	Wildcat
THE West LINE, SECT	ION 11 TOWNSHIP115	RANGE 34E NMPN	·
	15. Elevation (Show whether	DF, RT, GR, etc.)	12. County
	4145' GR		Lea
Chack	Appropriate Box To Indicate N	ature of Notice Report or O	
	NTENTION TO:	-	IT REPORT OF:
NOTICE OF I	NTENTION TO:	306320020	TREFORT OF.
	PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING
CAFORM REMEDIAL WORK		COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
EMPORARILY ABANDON	CHANGE PLANS	CASING TEST AND CEMENT JOB	FEUG AND ABANDONMENT
PULL OR ALTER CASING		OTHER Plug and Aban	donment 🖓
OT HER		GINER	·····

2. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

.

Jim Krogman, drilling foreman with Yates Petroleum Corporation, received verbal permission from Mr. Paul Kautz with NMOCD in Hobbs, New Mexico on March 2, 1987 to plug and abandon the well as follows:

Plug #1:	10364-10264'		35	sacks	of	Class	"H"
Plug #2:	9094-8994'		35	sacks	of	Class	"H"
Plug #3:	6939-6839'	•	35	sacks	of	Class	"H"
Plug #4:	5476-5376 '		35	sacks	of	Class	"H"
Plug #5:	4268-4168'		35	sacks	of	Class	"H"
Plug #6:	2098-1998'		35	sacks	of	Class	"H"
Plug #7:	Surface		25	sacks	of	Class	''H''

Heavy mud was placed between each plug. Pits will be levelled when dry and location will be cleaned. Dry hole marker will be placed on surface.

. I hereby certify that the information above is true and complet	te to the best of my knowledge and belief.	
Rusly Anican	Regulatory Secretary	DATE March_3, 1987
Carly Arthin	OIL & GAS INSPECTOR	JAN 0 3 1989
DINCITIONS OF APPROVAL, IF ANY:		 (`