

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE NEW MEXICO 87501

Form O-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.B.	
LAND OFFICE	
OPERATOR	

10. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Free <input type="checkbox"/>
11. State Oil & Gas Lease No.	
06-671	

SUNDRY NOTICES AND REPORTS ON WELLS
 DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
 USE "APPLICATION FOR PERMIT TO DRILL" (FORM C-101) FOR SUCH PROPOSALS.

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		7. Unit Agreement Name
2. Name of Operator Patterson Petroleum, Inc.		8. Farm or Lease Name Indian Red
3. Address of Operator P. O. Drawer 1416, Snyder, Texas 79549		9. Well No. 1
4. Location of Well UNIT LETTER <u>D</u> <u>330</u> FEET FROM THE <u>West</u> LINE AND <u>990</u> FEET FROM THE <u>North</u> LINE, SECTION <u>26</u> TOWNSHIP <u>10S</u> RANGE <u>32E</u> N.M.P.M.		10. Field and Pool, or Widener Mescalero (Devonian)
15. Elevation (Show whether DF, RT, GR, etc.) 4321.1 GR		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
 NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

Plugged and abandoned well on August 1, 1988. Set cement plugs as follows: 30 sx @ 10,000', 40 sx @ 9058', 40 sx @ 8110', 40 sx @ 7070', 50 sx @ 4818', 50 sx @ 3833', 30 sx @ 1650', 30 sx @ 468', 10 sx @ surface. (All above plugs are 100 ft. in length and the cement used was Class H.) Welded on cap and marker. Casing left in well: 3783 ft. - 8-5/8" and 418 ft. - 13-3/8". The well was filled with 9.5 ppg mud. The pits will be covered as soon as they are dry.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry D. Hardin TITLE Vice President DATE 8/25/88
 ORIGINAL SIGNED BY JERRY SEXTON
 DISTRICT I SUPERVISOR
 SIGNED BY _____ TITLE _____ DATE _____

NOTATIONS OF APPROVAL, IF ANY:

MAY 2 1989