

WRS COMPLETION REPORT

COMPLETIONS SEC 8 TWP 10S RGE 33E
PI# 30-T-0009 08/30/90 30-025-30748-0000 PAGE 1

NMEX LEA * 1980FNL 660FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
YATES PET WD WSD
OPERATOR
1 REMUDA STATE UNIT
WELL NO. LEASE NAME
4216KB 4202GR UNNAMED
OPER ELEV FIELD POOL AREA
API 30-025-30748-0000
LEASE NO. PERMIT OR WELL I.D. NO.
01/01/1990 07/25/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
9500 SN ANDRS NORTON DRLG 8 RIG SUB 13
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 9590 PB 4640 FM/TD PNNSYLVN
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI NE CAPROCK, NM
2 MI W/9600 (PSLV) OIL PROD IN LANE FLD

WELL IDENTIFICATION/CHANGES

FIELD CHGD FROM WILDCAT
PROJ FM CHGD FROM BOUGH

CASING/LINER DATA

CSG 13 3/8 @ 385 W/ 400 SACKS
CSG 8 5/8 @ 3772 W/ 1650 SACKS
CSG 5 1/2 @ 4640 W/ 250 SACKS
CMT PLUGS @ 9200 W/40 SX, 8632 W/40 SX, 7532 W/35 SX,
6592 W/45 SX, 4800 W/50 SX

TUBING DATA

TBG 2 7/8 AT 4354

INITIAL POTENTIAL

IPS 5BOPD
SN ANDRS PERF

150BW

24HRS
4412- 4447 GROSS
GOR TSTM

FIELD

/RESERVOIR
/SAN ANDRES

GTY-NO DETAILS

CONTINUED IC# 300257035689

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS-GET
Form No 187

DB a company of
The Dun & Bradstreet Corporation

COMPLETIONS
 PI# 30-T-0009 08/30/90 SEC 8 TWP 10S RGE 33E
 30-025-30748-0000 PAGE 2

YATES PET
 1

REMUDA STATE UNIT

WD WSD

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1806	2396		
LOG	YATES		2442	1760		
LOG	SN ANDRS		3720	482		
LOG	GLORIETA		5080	-878		
LOG	TUBB		6542	-2340		
LOG	ABO		7382	-3180		
LOG	WOLFCAMP		8582	-4380		
LOG	BOUGH A		9150	-4948		
LOG	BOUGH C		9248	-5046		

SUBSEA MEASUREMENTS FROM GR

FORMATION TEST DATA

DST 1 4386- 4456 SN ANDRS S
 REC 306.0 FT WTR .1 CFT GAS
 REC 2350.0 CC WTR
 INIT OP 30M IFP 57 FFP 113
 FINAL OP 1H IFP 113 FFP 170 BHT 102F
 ISIP 1252 FSIP 1314 IHP 1980 FHP 1991
 SPL CHAM PRESS FINAL 75
 OP W/2 1/2 OZ AFTER 30 MINS.
 RE-OP W/2 1/2 OZ AFTER 60 MINS.
 NO TIMES ON ISI & FSI

DST 2 9146- 9250 BOUGH B
 OVERLAPS BOUGH C
 REC 120.0 FT MUD 200.0 CC MUD
 INIT OP 30M IFP 181 FFP 181 OP W/VERY WEAK BLOW
 FINAL OP 1H IFP 180 FFP 180
 ISIP 422 1H IHP 4900
 SPL CHAM PRESS FINAL 100
 OP W/VERY WK BLOW CONT'D THRU ON 2ND FLOW.
 RE-OP W/VERY WK BLOW, BUILT TO 1/2 IN & STABILIZED.
 RE-OP ON FF W/VERY WK BLOW, BUILT TO 1/2 IN &
 STABILIZED.
 NO FSIP RPTD
 OP 30 MINS, 1 HR, 1 HR
 SI 1 HR, 3 HRS
 IFP 181-181, 180-180, 180-180
 SIP 422, 422

DST 3 9252- 9376 BOUGH C S

CONTINUED

COMPLETIONS SEC 8 TWP 10S RGE 33E
PI# 30-T-0009 08/30/90 30-025-30748-0000 PAGE 3

YATES PET
1

REMUDA STATE UNIT

WD WSD

FORMATION TEST DATA

REC .6 CFT GAS 2375.0 CC WTR
INIT OP 30M IFP 285 FFP 1290 OP W/GD BLOW
FINAL OP 1H IFP 1290 FFP 1770
ISIP 2512 1H FSIP 2175 3H IHP 4965 FHP 4965
SPL CHAM PRESS FINAL 500
OP W/GD BLOW, INCR TO 3 PSI IN 30 MINS.
RE-OP W/GD BLOW, INCR TO 1.5 PSI IN 60 MINS.
DP REC-NO DETAILS

DST 4 9485- 9590 BOUGH C S
REC 196.0 FT MUD 859.0 FT WTR
REC .5 CFT GAS 1850.0 CC WTR
INIT OP 30M IFP 126 FFP 356 OP W/GD BLOW
FINAL OP 1H IFP 372 FFP 573
ISIP 2915 1H FSIP 2764 2H IHP 5104 FHP 5085
SPL CHAM PRESS FINAL 350
OP W/GD BLOW, INCR TO 12 OZ ON 1/8 BUBBLE HOSE IN
30 MINS.
RE-OP W/4 OZ, INCR TO 23 OZ IN 60 MINS.
SPL REC .55 CFT GAS

PRODUCTION TEST DATA

SN ANDRS PERF W/ 20/IT 4412- 4447 GROSS
PERF 4412, 4413, 4414, 4415, 4416, 4420, 4421, 4422
PERF 4431, 4432, 4433, 4434, 4438, 4439, 4440, 4443
PERF 4444, 4445, 4446, 4447
ACID 4412- 4447 3000GALS
20% NEFE

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS

CNL

LDT

DLL

DRILLING PROGRESS DETAILS

YATES PET
105 S 4TH ST
ARTESIA, NM 88210
505-748-1471
12/08 LOC/1989/
01/02 DRLG 73

CONTINUED

COMPLETIONS SEC 8 TWP 10S RGE 33E
PI# 30-T-0009 08/30/90 30-025-30748-0000 PAGE 4

YATES PET
1

REMUDA STATE UNIT

WD WSD

DRILLING PROGRESS DETAILS

01/03 385 TD, WOC
01/12 4456 TD, TRIP
01/18 6808 TD, TRIP
01/23 DRLG 8222
01/30 DRLG 9320
02/06 9590 TD, PB 4640, CIRC
02/06 PB TO 4640
02/13 9590 TD, PB 4640, WOCT
04/25 9590 TD, PB 4640, TSTG
08/28 TD REACHED 02/02/90 RIG REL 02/07/90
9590 TD, PB 4640
COMP 7/25/90, IPS 5 BO, 150 BWFD,
GOR TSTM, GTY (NF)
PROD ZONE - SAN ANDRES 4412-4447
NO CORES, FOUR DSTS RPTD
08/28 SAN ANDRES DISCOVERY - SHALLOWER POOL