Sidewinder State #1 Complet 1 Report Page Two January 10, 1991 API #30-025-31012 Sec 36, T19S, R32E, Lea Co, NM

23. Ran 13-3/8" 54.5# casing. Set @ 390'KB. Hole size 17-1/2". Cemented with 400 sks Class C + 2% CaCl. None pulled. Ran 8-5/8" 32#, 28# & 24# casing. Set @ 3750'KB. Hole size 11". Cemented with 1000 sk lite + 1/4# floseal & 12#/sx salt + 200 sx Class C + 2% CaCl. None pulled. Ran 5-1/2" 17# casing. Set @ 10,460' KB. Hole size 7". Cemented with 1000 sks Class H - 50/50 Poz w/5#/sks salt & 4/10% Halide-22.

25. Ran 2-7/8" tubing. Set @ 9469'.

26. 10,222 - 10,234' = 12' w/24 holes 10,094 - 10,105' = 11' w/33 holes 9,433 - 9,440' = 7' w/15 holes 9,205 - 9,211' = 6' w/24 holes

27. Acidized as follows:

10,222 - 10,234' - Spotted 2 bbls acid @ 10,239'. Bull head 2000 gallons 20% NE/FE acid plus 40 balls. 10,094 - 10,105' - Spotted 500 gal 20% NE/FE acid. Pumped 2 bbls acid away. Acidized w/2000 gal 20% NE/FE acid + 50 balls. 9,433 - 9,440' - Spotted acid & balls at end of tubing. Acidized w/1500 gal 20% NE/FE + 27 balls. 9,205 - 9,211' - Spotted 2 bbls acid across perfs. Acidized w/1200 gal 15% NE/FE acid + 30 balls.