

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-31601
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Lease Name or Unit Agreement Name Barnes "20"
2. Name of Operator Maralo, Inc.	8. Well No. 1
3. Address of Operator P. O. Box 832, Midland, Texas 79702 0832	9. Pool name or Wildcat Crosroads (Devonian)
4. Well Location Unit Letter C : 766 Feet From The North Line and 2201 Feet From The West Line Section 20 Township 9S Range 35E NMPM Lea County	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4169.7 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spud 6-6-92 11:00 p.m.
6-8-92 Ran 10 jts 13 3/8" 54.4#, 8rd J-55 csg. Set @ 450'. Cement circ to surface. Hole size 17 1/2". WOC 20 hours
6-16-92 Ran 96 jts 8 5/8" csg. Set @ 4200'. Cemented w/2600 sx HOwco Light w/1/4# flocele + 15# salt/sx. Tailed in w/200 sx Class "C" cmt + 1/4# flocele + 2% CaCl2. Cmt circ to surface. Hole size 12 1/4". WOC 24+ hours. Tested to 1000 psi - ok.
7-31-92 TD'd @ 12,656'.
8-3-92 Ran GR/CNL/LDT TD to csg. w/GR/CNL surface, GR/DLL/MSFL TD to csg.

LOG TOPS:

Tansill	2220	ABO	7742	Atoka	11312
Yates	2790	Wolfcamp Lime	8812	Mississippi Lime	11899
San Andres Porosity	4781	XX Marker	9062	Woodford	12572
Glorieta	5472	Bough C	9734	Devonian	12626
Tubb	6906	Strawn Marker	10,832		

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Brenda Coffman TITLE Agent DATE 8-28-92

TYPE OR PRINT NAME _____ TELEPHONE NO. _____

(This space for State Use)

Orig. Signed by
Paul Kautz
Geologist

SEP 01 '92

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: