

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

Form C-101
Revised March 17, 1999

Submit to appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210		OGRID Number 025575
Property Code 25266		API Number 30-025-34875
Property Name Tostito AUO State		Well No. 1

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	4	10-S	34-E		660'	South	1980'	West	Lea

Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
East Lane Wildcat ABO						Proposed Pool 2			

Work Type Code N	Well Type Code O	Cable/Rotary Rotary	Lease Type Code S	Ground Level Elevation 4241'
Multiple NO	Proposed Depth 9200'	Formation ABO	Contractor Not determined	Spud Date ASAP

Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
14 3/4"	11 3/4"	42 #	400'	400 sx	circulated
11"	8 5/8"	32 #	4200'	1400 sx	circulated
7 7/8"	5 1/2"	17 & 15.5 #	9200'	300 sx	TOC-7300'

Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone.

Describe the blowout prevention program, if any. Use additional sheets if necessary. Yates Petroleum Corporation proposes to drill and test the Abo and intermediate formations. Approximately 400' of surface casing will be set and cement circulated. Intermediate casing will be cemented and circulated. If commercial, production casing will be run and cemented back to 7300', perforated and stimulated as needed for production.

MUD PROGRAM: 0'-400' FW gel; 400'-4200' cut brine to brine; 4200'-7800' cut brine; 7800'-9200' brine/s gel/diesel.

BOPE PROGRAM: 3000# BOPE will be installed on 8 5/8" casing and tested daily.

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name:

Title:

Date:

January 20, 2000

Phone:

(505) 748-1471

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

Expiration Date:

Conditions of Approval:

Attached ☐

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised February 10, 1994
Instruction on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-34875	Pool Code 36673	Pool Name East Lane Wildcat Abo
Property Code 25266	Property Name TOSTITO "AUO" STATE	
OGRID No. 025575	Operator Name YATES PETROLEUM CORPORATION	
		Well Number 1
		Elevation 4241




Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	4	10S	34E		660	SOUTH	1980	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief. Signature <u></u> Printed Name <u>Ken Beardemph1</u> Title <u>Landman</u> Date <u>January 20, 2000</u>	
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. <u>1/18/2000</u> Date Surveyed Signature & Seal of Professional Surveyor  Certificate No. <u>Herschel L. Jones RLS 3640</u> <u>TOSTITO 1</u> DISK 23 GENERAL SURVEYING COMPANY	



Yates Petroleum Corporation

BOP-3

Typical 3,000 psi Pressure System Schematic Annular with Double Ram Preventer Stack



Typical 3,000 psi choke manifold assembly with at least these minimum features

