

COUNTY	ROOSEVELT FIELD Prairie, South			STATE	NM	OWWC
OPR	O'NEILL, JOSEPH I., JR.					MAP
	1 Federal "M"					
	Sec. 17, T-8-S, R-36-E					CO-ORD
	1980' fr N & E Lines of Sec.					
	Re-Spd 6-12-65					
	Re-Cmp 7-18-65					
	FORMATION		DATUM		CLASS	
CSG & SX - TUBING					owd P EV	
11 3/4" 395' 30C						
8 5/8" 5000' 1700						
4 1/2" 9801' 250						
LOGS EL GR RA IND HC A						
	TD 9803'					

PLUGGED & ABANDONED


Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	5025'	TYPE
DATE			

F.R. 6-10-65; OWWC
Orig. THE ATLANTIC REFG. CO., #1 Love-Federal "A",
PSA 3-12-61, OTD 9803'.
Elev. 4126' Df, Orig.
PD 5025' - SA

6-14-65	Tight.
6-21-65	Tight.
6-28-65	Tight.
7-6-65	Tight.
7-12-65	Tight.
7-19-65	Tight.
7-26-65	TD 9803', tstg on pump, Tight.
8-2-65	TD 9803', tstg on pump, tight.
8-9-65	TD 9803', tstg on pump, tight.
8-16-65	TD 9803', PBD 5010', PLUGGED & ABANDONED. Pulled 4 1/2" casing & PB to 5010' Ac. 500 gals (OH 5000-5010')

8-16-65 Continued
Perf @ 4900', 4904', 4908', 4912', 4916',
4950', 4954', 4958', 4962', 4966', 4992',
4998' W/1 SPI
Ac. 500 gals (Perfs & OH 4992-5010')
Swbd dry.
Ac. 500 gals. (4900-4916')
Swbd dry
Re-Ac. 5000 gals. (4900-4916')
Swbd 8.5 BF Per Hr (95% wtr, 5% oil)
Ac. 5000 gals. (4950-66')
Swbd 5.5 BF Per Hr (95% wtr, 5% oil).
8-23-65 TD 9803', PED 5010', Completion Reported.



COUNTY ROOSEVELT FIELD Prairie, South STATE NM OWWO

OPR O'NEILL, JOSEPH I. JR.

1 Federal "M"

Sec. 17, T-8-S, R-36-E

1980' FNL, 1980' FEL of Sec.

CO-ORD

Re-Cmp 8-30-68		CLASS <u>OWDF</u>		EL
FORMATION	DATUM	FORMATION	DATUM	
LOG & SX - TUBING				
11 3/4"	395'	300		
3 5/8"	5000'	1700		
1 1/2"	9801'	250		
LOG & SX - SA IND HC A				
				TD 9803'

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

PROP DEPTH 5010' TYPE WO

F.R.C. 10-10-68; OWWO
FD 5010' - SA
(Orig. The Atlantic Refg. Co., #1 Love-Federal
"A", Cmp P&A 3-12-61, OTD 9803'; OWWO & Re-Cmp
P&A 7-18-65 by Joseph I. O'Neill, Jr. as #1
Federal "M", OTD 9803', OPB 5010')
Elev. 4126' DF, Orig.
10-7-68 TD 9803', PLUGGED & ABANDONED
Perf @ 4900', 4903', 4905', 4908', 4912',
4916', 4950', 4954', 4958', 4962', 4966',
4992', 4994', 4998', 5002', 5004', 5006',
5008', 5010' W/2 SPI
Acid (4900-5010') 1000 gals.
Frac (4900-5010') 10,000 gals wtr + 10,000# sd.
Pmpd wtr (4900-5010')