(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

HOLDS OF MIERISON TO DRICE NO INTENTION TO CHANGE BLANS NOTES OF INTESTION TO TEST WATER SHUT OFF THE REPORT OF REPORTS OF REPAIR WILL

NOT A LIK INTENTION TO SHEMIT ON A TOTAL

- NIENGEN TO FULL OR MITTER COUNC.

THE PROPERTY OF STANDEN WILL

SUBSEQUENT REPORT OF WATER SHUT OF SUBSECUENT REPORT A SHOOTING OF ACTOURTS SUBJECTION REPORT OF ALTERING CASING ALERS PC DALLING BY INTERPRETATIONS OF RELEASE SUBSECUENT REPORT OF MANDONMENT

NOTCATE FROM E ST. THE K MARK NATION OF HELD IN THE CONTROL DATA

Butter (Vederal) No. 1

Jesmeny 13

1963

is located 1960 to from an and 662 it from in line of sec. 2

34 /4 of Sec. 20

株工物14条

ROSCOTTO

The nevation of the work those above sea level is

DETAILS OF WORK

this, was the strommental mess, the still temperatural programed samplings, the braide and deling jobs, comment The position and all other component proposed within

be plan to drill this well to a total depth of approximately 9700' using the following casing and committing programs

10 3/4" 12.758 hat0 STAG - comed to be circulated. 400'

7 5/8" 26.40 J.55 STAC - extent with approximately 1200 seeks 4 1/2" 9.50 J.55 STAC, 11.60 J.55 1250 and 11.60 B.60 1280 -43501

commit with expressionately 600 santa.

Casing will be perference and fermation stimulated as secondary.

furnisation is also requested to preduce this well on completion.

I understand that this plan of work must receive approval in writing by the f-eological Luvey before operations may be commensed

Commany

The Atlantic Refining Company

Address P. C. Box 1010

Halland, Texas

But Driver to be the the

[Perional Brilling Constitutions

gen 258840

Form 9-881 a



(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office

Laus No. 3 021195

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	3
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-DEF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRIVE OR BEPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR AUDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NUMBER OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL MISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

INDICATE ABOVE BY CHECK MARK NATURE OF EXPORT MICHAEL OR OTHER TOLD

Rutter (Federal) No. 1

January 25

1961

Well No.

is located 1980 ft. from g line and 660 ft. from W line of sec. 28

54/4 of Sec. 28

Bluitt Factor

Rocevelt

The elevation of the derrock floor above sea level is ft.

DETAILS OF WORK

State nomes of and expected deproces no no velice exists show slows, weights, and lengths of nonceed casing specificate mudding jobs, coment-ing points, and all other important proposed works

Speaded well at 7:30 PM 1-22-61. Drilled to 402' and res 12 joints of 10 3/4" 32.75# H-40 easing, total 363.48' set at 399.38'. HOMEO commuted with 350 macks of Southwestern regular coment with 2% calcium shloride. Coment circulated, Plus down at 3 FM 1-23-61. MOC. Tested 10 3/4" easing with 1000# from 5 to 5:30 FM 1-24-61. Test CK.

i understand that this plan of work must receive approval in writing by the Geological Curvey before operations may be convisended.

Company

The Atlantic Refining Company

Address

2. 0. Box 1610

Midland, Texas

B. B. & Miles H. L. Mills

Title Engineal Ivilling Lope.

gpa 551645

NOTICE OF INTENTION TO DRILL		X	UBSEQUENT REPO	RT OF WATER SH	UT-OFF	
NOTICE OF INTENTION TO CHANGE			UBSEQUENT REPOR			
NOTICE OF INTENTION TO TEST WAT	TER SHUT-OFF	1 11	UBSEQUENT REPOR			1
NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL	1 11	UBSEQUENT REPOR			
NOTICE OF INTENTION TO SHOOT OF	R ACIDIZE	1 11	UBSEQUENT REPOR			1
NOTICE OF INTENTION TO PULL OR	ALTER CASING		JPPLEMENTARY W			
NOTICE OF INTENTION TO ABANDON	WELL					
(INDICA	TE ABOVE BY CHECK M	MARK NATUR	OF REPORT, NOTI	CE, OR OTHER DA	ita)	
Rutter (Federal) No.	1		January 13			. 196
SV/A sec. and Sec. No.)						
(Field)	Receiption	nty of Subdiv	ision)	(S	ate of Territory)	
he elevation of the derrick	floor above sea	level is	f+			
ne elevation of the definer	noor above sea	ICVCI IS	IL.			
			F WORK			
tate names of and expected depths to	objective sands; show	v sizes, weigl	· · · · · · · · · · · · · · · · · · ·	proposed casing work)	s; indicate mude	ding jobs, cemer
	o objective sands; show ing points, and	w sizes, weigl all other im	its, and lengths of portant proposed v	work)		
plan to drill this w	objective sands; showing points, and	v sizes, weigl all other im	its, and lengths of portant proposed v	work)		
plan to drill this w Llowing ensing and ec	objective sands; showing points, and	w sizes, weight all other implementations and the pt.	ats, and lengths of sortant proposed v	Kimately ()700	
plan to drill this w Llowing ensing and ec 400' 10 3/4" 32.7	objective sands; showing points, and sell to a tete menting programmer.	w sizes, weight all other implications.	ats, and lengths of sortant proposed v	minutely (9700' wsi	ig the
plan to drill this w Llowing ensing and ec 400' 10 3/4" 32.7	objective sands; showing points, and sell to a tete menting progr	w sizes, weig all other im all dept rans	ats, and lengths of sortant proposed via approximately to be at the last approximately to the last approximately to the last approximately to the last approximately appro	rimately (iroulated, provincte))700' usii . 1200 se	ng the
plan to drill this w Llowing easing and ea 400' 10 3/A" 32.7 4350' 7 5/8" 26.4 9700' 4 1/2" 9.5	objective sands; showing points, and sell to a total menting programmer in STAC STAC July 155 STAC J	w sizes, weight all other implications and depth remains — comes — com	ats, and lengths of cortant proposed via the best to be at the length approximately the length a	rimately (iroulated, provincte))700' usii . 1200 se	ng the
plan to drill this w Llowing easing and ea 400' 10 3/A" 32.7 4350' 7 5/8" 26.4 9700' 4 1/2" 9.5	objective sands; showing points, and sell to a tete menting progr	w sizes, weight all other implications and depth remains — comes — com	ats, and lengths of cortant proposed via the best to be at the length approximately the length a	rimately (iroulated, provincte))700' usii . 1200 se	ng the
plan to drill this w Llowing easing and ea 400' 10 3/A" 32.7 4350' 7 5/8" 26.4 9700' 4 1/2" 9.5	objective sands; showing points, and ing points, and sell to a total menting programmes. Sell B-40 STAG J J-55 STAG J J-55 STAG approximately	w sizes, weight all other implications and depth reas:	ats, and lengths of cortant proposed via the best to be at the length approximately the length a	rimately (iroulated, proximatel and 11,6)700' usii . 1200 se	ng the
plan to drill this w llowing ensing and ec 400' 10 3/4" 32.7 4350' 7 5/8" 26.4 9700' 4 1/2" 9.5 common with	objective sands; showing points, and ing points, and sell to a teta menting programment of 3-40 STAG July STAG stage supprendmental; and formal	v sizes, weight all other implements - common all 65 graphs - common all 65	of approsite to be a series with approximately approximate	rimately (iroulated, proximatel and ll.6	7700' usii y 1200 ss 7 N-80 121	ng the
plan to drill this willowing ensing and east 400' 10 3/A" 32.7 4350' 7 5/8" 26.4 9700' 4 1/2" 9.5 coment with ching will be perferate mission is also require	objective sands; showing points, and ing points, and sell to a total menting programmes. S. R. A. STAG J. J. S. STAG J. J. S. STAG approximately od and format	v sizes, weight all other implications and the state of t	ats, and lengths of cortant proposed via the best to be at with approximately leads.	rimately (iroulated, procinate) and li,6(7700' wsi: ly 1200 ac 7 H-86 134	ng the
plan to drill this willowing ensing and eccleving ensing and eccleving and eccleving and eccleving 7 5/8" 26.4 9700" 4 1/2" 9.5 concert with concert with concert with concert is also required to the particular is also required to the plan of work the plan of wo	objective sands; showing points, and ing points, and sall to a total menting programming programs and sall sall sall sall sall sall sall sal	w sizes, weight all other implications and the state of t	ats, and lengths of cortant proposed via the best to be at with approximately leads.	rimately (iroulated, procinate) and li,6(7700' wsi: ly 1200 ac 7 H-86 134	ng the
plan to drill this wellowing easing and easing and easing and easing and easing and easing and easing a 100° 10 3/4° 32.7° 4350° 7 5/8° 26.4° 9700° 4 1/2° 9.5° cancert with a ling will be perferenced with a line requirement in also requirements a	objective sands; showing points, and ing points, and sall to a total menting property of 3-40 8746 and 5-55 8746, approximately od and formal must receive approximately on the Refining-Control of th	v sizes, weight all other implements - come: - come: - come: - 11.6f - 600 at lines this	ats, and lengths of cortant proposed via the best to be at with approximately leads.	rimately (iroulated, procinate) and li,6(7700' wsi: ly 1200 ac 7 H-86 134	ng the
plan to drill this willowing ensing and eccleving ensing and eccleving and eccleving and eccleving 7 5/8" 26.4 9700" 4 1/2" 9.5 concert with concert with concert with concert is also required to the particular is also required to the plan of work the plan of wo	objective sands; showing points, and ing points, and sell to a test menting programmed. July 8246 July 824	v sizes, weight all other implications and the state of t	its, and lengths of cortant proposed victoriant proposed victoriant description of the color of	rimately (iroulated, procinate) and li,6(7700 us 11 y 1200 ee N-80 126 y.	commenced.

GPO 862040



THE ATLANTIC REFINING COMPANY

INCORPORATED 1870

PETROLEUM PRODUCTS

HOBBS OFFICE OCC May 11, 1961

DOMESTIC PRODUCING DEPARTMENT WEST TEXAS-NEW MEXICO REGION

1961 MAY 15 AM 10: 46

MIDLAND SAVINGS & LOAN BLDG.

MAILING ADDRESS
P. O. BOX 1610

MIDLAND, TEXAS

New Mexico Oil Conservation Commission Post Office Box 2045 Hobbs, New Mexico

Gentlemen:

On January 13, 1961, we mailed the USGS Form 9-331A Sundry Notice of our intention to drill the Rutter (Federal) #1 1980 FSL & 660' FWL of Section 28, Twp. 8-S, Rg. 37-E, Roosevelt County, New Mexice. The accompanying plat (Form C-128 Well Location and Acreage Dedication Plat) showed 80 acres dedicated, being the North half of the Southwest quarter.

We are attaching three copies of a new plat (Form C-128) for the purpose of changing the 80 acre dedication from the North half of the Southwest quarter to the West half of the Southwest Quarter.

We will appreciate receiving acknowledgement and approval of this change.

Yours very truly,

The Atlantic Refining Company

R. E. Howard

Regional Petroleum Engineer

ECR:bj

cc: USGS (2 copies of plat)
P. O. Box 1838
Hobbs, New Mexico