

W MEXICO OIL CONSERVATION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON DEEPENING WELL

Following is a report on the work done and the results obtained under the heading noted above at the.....

Gulf Oil Corperation Company or Operator	Roosevelt State "T"			
NE NW	Sec	, R. M. P. M.,		
Uniesignated Po	ol	County.		
The dates of this work were as follows:				
Notice of intention to do the work was (was and approval of the proposed plan was (was	as not) submitted on Form C-102 on s not) obtained. (Cross out incorrect	February 20 , 19, 52, words.)		

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

(SKE ATTACHED SHEET)

Witnessed byGlenn Stach	Gulf Oil Corporation Company	Drilling Foreman Title
APPROVED: OIL CONSERVATION COMMISSION	I hereby swear or affirm that is true and correct. Name	t the information given above
лат 7 — 15 Тні 7 — 15 Г	Position Area Pro	od. Supt.
Date	19_7	Hobbs, New Mexico

Attachment C-103 Report on Result of Plugging Roosevelt State "T" No. 1

> TD 4845'. 8-5/8" Casing set at 309'. Cement Circulated. 5-1/2" Casing set at 4600'. Top of cement at 3950'.

- Set 5-1/2" Baker cast iron cement retainer at 4558'. Plugged back with cement from 4845'TD to 4528'. (30' above 5-1/2" casing seat) 80 sacks of cement.
- Cut off 5-1/2" casing at 3900'. Unable to pull casing. Ran McCullough Magnatector showed 5-1/2" casing stuck at 1885'. Spotted
- 230 barrels oil. Unable to move. Cut 5-1/2" pipe again at 3850' and added 200 bbls oil. Unable to move. Cut 5-1/2" casing at 1875' and pulled 57 joints and two pieces, 1860'.
- 3. Heavy mud from 4528' to 3950'.
- 4. Cement plug from 3950' to 3800'. 30 sacks cement.
- 5. Heavy mud from 3800' to 1925'.
- 6. Cement plug from 1925' to 1825'. 70 sames cement.
- 7. Heavy mud from 1825' to 334'.
- 8. Cement plug from 334' to 284'. 30 sacks cement.

9. Heavy mud from 284! to 50!.

10. Cement plug from 50' to 0'. 16 sacks cement. Set 4" marker extending 4' above ground level. Job complete at 9:00 AM February 24, 1952

ి సింగాలు సింగాలు కి. మూలా సింగాలు సింగాలు సింగాలు మూలా సింగాలు ప్రతిశ్ర

And the second se

- (1) Design and the second sec second sec
 - (a) State (h+k)²Ω (state ky, (k)) = (k, (k)) (k, (k)) (k, (k)) (k, (k))) (k, (k)) (k, (k)) (k, (k))) (k, (k)) (k, (k)) (k, (k)) (k, (k))) (k, (k)) (k, (k)) (k, (k)) (k, (k))) (k, (k)) (k, (k)) (k, (k))) (k, (k)) (k, (k)) (k, (k))) (k, (k)) (k, (k))) (k, (k)) (k, (k))) (k, (k)) (k, (k)) (k, (k))) (k, (k))) (k, (k))) (k, (k)) (k, (k))) (k, (k))) (k, (k)) (k, (k))) (k, (k))) (k, (k)) (k, (k))) (k, (k))) (k, (k))) (k, (k))) (k, (k)) (k, (k))) (k, (k)) (k, (k))) (k, (k))) (k, (k))) (k, (k))) (k, (k)) (k, (k))) (k, (k)) (k, (k))) (k, (k))) (k, (k)) (k, (k))) (k, (k)) (k, (k))) (k, (k)) (k, (k
 - und an energiant, and an an energy and an an energy and an an energy of the second second second second second s second second set, and a first an energy and second second second second second second second second second seco and second se
 - . Charles and the provide states of the
 - - 3802 1011 of Mary and A
 - ·公开中国、1988年,1月1日,新兴学校的学校的学校的学校的主义。
 - . Here and the second second of
 - a the operation of the output of the the theory of
 - A State of the second state of the
 - una antere a substant perior solution e exercision e e exercision e

•