



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office New MexicoLease No. N-01035

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 8, 1962

Federal Code (NCT-B)

Well No. 1 is located 1980 ft. from N line and 660 ft. from E line of sec. 33S4/4, sec 33

(1/4 Sec. and Sec. No.)

8-S

(Twp.)

37-E

(Range)

NMTM

(Meridian)

Allison Fern

(Field)

Rezevelt

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 4023 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 9684'. FBTD 9648'.

Ran tie in log and perforated 4-1/2" casing with 2, 1/2" Hornet JIBF at 9585 to 9593'. Ran Gauge ring and JB to 9585'. Ran Baker Model D packer on electric line and set at 9577'. Ran 306 joints on 2-3/8" tubing and set at 9599'. Seating nipple at 9575'. Unlatched tubing from packer. Washed perforations 9585 to 9593' with 250 gals MCA. Flushed with 34 bbls fresh water. Subd and kicked off, flowing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil CorporationAddress Box 2167Hobbs, New MexicoORIGINAL SIGNED
-BY-J. M. RUSSELL

By _____

Title Area Production Manager