

xSubmit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO. 30-041-00131
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name: MILNESAND UNIT
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> INJECTION		
2. Name of Operator J. CLEO THOMPSON	8. Well No. 182	
3. Address of Operator 325 N. ST. PAUL, SUITE 4300, DALLAS, TX 75201	9. Pool name or Wildcat MILNESAND (SAN ANDRES)	
4. Well Location  Unit Letter <u>D</u> : <u>660</u> feet from the <u>NORTH</u> line and <u>660</u> feet from the <u>WEST</u> line  Section <u>NW NW 18</u> Township <u>8S</u> Range <u>35E</u> NMPM County <u>R00SEVELT</u>		
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 4250' RKB 12' ABOVE GL.		

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: REPAIRED INJECTION WELL ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

- 1.) RIH WITH 6 1/4" BIT, CLEANED OUT FILL TO 4668'.
- 2.) SET CIBP @ 4534'.
- 3.) RIH WITH 4 1/2 10.5# J-55 CSG TO 4530'.
- 4.) PUMPED 600 SX OF CLASS "C" NEAT CEMENT, CIRCULATE CEMENT TO SURFACE.
- 5.) RIH WITH 3 7/8 BIT AND DRILL OUT SHOE AND CIBP.
- 6.) RIH W/INJECTION PACKER AND TBG TO 4504'. CIRCULATE PACKER FLUID, SET PACKER & TEST.
- 7.) RETURN TO INJECTION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Vonda Farris TITLE AGENT DATE November 14, 2001  
Type or print name VONDA FARRIS Telephone No. (915)366-8886

(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of approval, if any: