
xSubmit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103			
District I	Energy, Minerals	Energy, Minerals and Natural Resources			Revised March 25, 1999	
1625 N. French Dr., Hobbs, NM 88240 District II	T			WELL API NO. 30-041-00142		
811 South First, Artesia, NM 88210	rst, Artesia, NM 88210 OIL CONSERVATION DIVISION			5. Indicate Type	e of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM 87410	2040 South Pacheco			STATE		
District IV	<u>Sama re, Nivi 67303</u>			h	Gas Lease No.	
2040 South Pacheco, Santa Fe, NM 87505						
SUNDRY NOTICE (DO NOT USE THIS FORM FOR PROPOSAL DIFFERENT RESERVOIR. USE "APPLICATION PROPOSALS.) 1. Type of Well: Oil Well Gas Well		or Unit Agreement Name: SAND UNIT				
2. Name of Operator	8. Well No.	35				
J. CLEO THOMPSON						
3. Address of Operator 325 N. ST. PAUL, SUIT	9. Pool name or Wildcat MILNESAND (SAN ANDRES)					
4. Well Location				· · · · · · · · · · · · · · · · · · ·		
Unit LetterD_:_ 660feet from the _NORTH line and _660feet from theWESTline						
Section NW NW 19		Ran		NMPM	County R00SEVELT	
	10. Elevation (Show			c.)		
- And Andrews	4239	KKB II	' ABOVE GL.		***	
11 Check An	propriate Box to In	ndicate N	ature of Notice	Report or Othe	r Data	
NOTICE OF INT		idiodio i vi	SUE	SEQUENT R	EPORT OF:	
PERFORM REMEDIAL WORK		и 🗆	REMEDIAL WOR		ALTERING CASING	
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DR	ILLING OPNS. 🗌	PLUG AND ABANDONMENT	
PULL OR ALTER CASING	MULTIPLE COMPLETION		CASING TEST A CEMENT JOB	ND 🗆		
OTHER			OTHER: REPAIR	RED INJECTION V	VELL	
 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. POOH TBG. RIH WITH 6 ¼ "BIT TO FISH @ 4625' RKB. POOH. RU CIBP AT 4540'. RIH WITH 4 ½, 11.6# J-55 CASING TO 4536'. 						
4.) PUMPED 580 SX OF CLASS "C" NEAT CEMENT. CIRCULATE CEMENT TO SURFACE.						
5.) RIH WITH 3 7/8 BIT AND DRILL OUT SHOE, CIBP AND CLEANED OUT TO 4635'. 6.) RIH W/INJECTION PACKER AND TBG TO 4502'. CIRUCLATE PACKER FLUID, SET PACKER & TEST.						
7.) RETURN TO INJ		G 10 4302	. CIROCLATET	ACKER I LOID, I	DETTACKER & TEST.	
,,, <u>1</u>						
I hereby certify that the information	above is true and comp	olete to the	best of my knowled	dge and belief.		
SIGNATURE / Miles	TO LOT T		_AGENT) NOVEMBER 14, 2001 66-8886	
(This space for State use)				-	WW 20	
ADDDOVED DV		TITLE	•		DATE	
APPPROVED BY Conditions of approval, if any:						



Company: S. Cles Thon, 2520	
NW NW Sec 19 785	R35 F
RCC#:	
B.A.R. TREATING SERVICE, INC.	
Driver:	
P.S.I.: 400	-
Time: 3:30 P.M	
Date: 10-18-01	
	J.

			7	
		TUBING	CASING	SURFACE
	INITIALS:			
	15 MIN:_			
	30 MIN:_			
L		- 1		