Form 9-331a	BBS		Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
(Feb. 1951)	(SUBMIT I	N TRIPLICATE)	Land Office New Mexico
• APPR	Lease No. 8-12028-022		
APR 1			
	GEOLOCI	OF THE INTERIOR	
		AL JUNYEID, A ANA A A A A A A A A A A A A A A A A	O AI O APR111960
	rict engineer		U.S. GLANDA MAL SUN
SUNDRY	NOTICES AN	D REPORTS ON	N WELLS NEW MEXICO
NOTICE OF INTENTION TO DRILL	······································	SUBSEQUENT REPORT OF WATER	
NOTICE OF INTENTION TO CHANGE P		SUBSEQUENT REPORT OF SHOOT	
NOTICE OF INTENTION TO TEST WATE		SUBSEQUENT REPORT OF ALTER	
NOTICE OF INTENTION TO RE-DRILL		SUBSEQUENT REPORT OF RE-DRI	ILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR		SUBSEQUENT REPORT OF ABAND	
NOTICE OF INTENTION TO PULL OR A NOTICE OF INTENTION TO ABANDON		SUPPLEMENTARY WELL HISTORY	,
		URE OF REPORT, NOTICE, OR OTHER	R DATA)
King-Davis Federal La		Mai	rch 30, 1960
NW/4 NW/4 Sec. 28 (4 Sec. and Sec. No.) Bluitt-Penn	(Twp.) (Ran		New Mexico
(Field)	(County or Sub	division)	(State or Territory)
he elevation of the derrick		is ft. OF WORK	
ate names of and expected depths to		aights, and lengths of	
lan to drill a Bough s as follows: 13 3/8" to be set surface.	objective sands; show sizes, we ing points, and all other #C# Well to a dep at approximately	350' with sufficien	ings; indicate mudding jobs, cement- 7 9,700'. The pipe proj at cement to circ. to at cement to circ. to
<pre>lan to drill a Bough s as follows: 13 3/8* to be set surface. 9 5/8* to be set a surface.</pre>	objective sands; show sizes, we ing points, and all other #C# Well to a dep at approximately t approximately)	350' with sufficien	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to
<pre>lan to drill a Bough s as follows: 13 3/8* to be set surface. 9 5/8* to be set a surface. 7* to be set at ap</pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately) proximately 9650 *	200' with sufficient ce	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi
<pre>lan to drill a Bough s as follows: 13 3/8" to be set surface. 9 5/8" to be set a surface. 7" to be set at ap</pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately) proximately 9650 *	200' with sufficient ce	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi
<pre>lan to drill a Bough s as follows: 13 3/8" to be set surface. 9 5/8" to be set a surface. 7" to be set at ap ll casing will be wet</pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately / proximately 9650 and cemented in	350' with sufficien 200' with sufficien with sufficient ce accordance with app	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi proved methods.
<pre>lan to drill a Bough s as follows: 13 3/8" to be set surface. 9 5/8" to be set a surface. 7" to be set at ap ll casing will be wet l understand that this plan of work r</pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately) proximately 9650 and cemented in	th of approximately 350' with sufficien 200' with sufficien with sufficient ce accordance with app	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi proved methods.
<pre>lan to drill a Bough s as follows: 13 3/8* to be set surface. 9 5/8* to be set a surface. 7* to be set at ap ll casing will be set </pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately 4 proximately 9650 and cemented in	th of approximately 350' with sufficien 200' with sufficien with sufficient ce accordance with app	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi proved methods.
<pre>lan to drill a Bough s as follows: 13 3/8* to be set surface. 9 5/8* to be set a surface. 7* to be set at ap ll casing will be set </pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately) proximately 9650 and cemented in nust receive approval in writin Company 7	th of approximately 350' with sufficien 200' with sufficien with sufficient ce accordance with app	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi proved methods.
<pre>13 3/8" to be set surface. 9 5/8" to be set a surface. 7" to be set at ap 11 casing will be set 1 understand that this plan of work r ompany The Ohio Oil ddress P.O. Box 210"</pre>	objective sands; show sizes, we ing points, and all other "C" Well to a dep at approximately t approximately) proximately 9650 and cemented in nust receive approval in writin Company 7	th of approximately 350' with sufficien 200' with sufficien with sufficient ce accordance with app	r 9,700'. The pipe prop at cement to circ. to at cement to circ. to ment to obtain 1000' fi proved methods.

:

APPROVED

.

٢.

. .

:

2. 2. 1. 1. 1.

1

τ I

. . 1

有效的大学和有效

J. E. GOREIQN SUMMERT FREIDRER

•

Dist:

U.S.G.S. Mr. Carl B. King Mr. Roger H. Davis Mr. J. A. Grimes Mr. L. H. Shearer Mr. D. V. Kitley Mr. T. A. Steele Mr. C. M. Lynch Mr. T. O. Webb Mr. R. E. Feather

· · · · · ·

.

		NEW MLAICO				FORM C-12 Revised 5/1/5
					ICATION PLA	
	SEE	INSTRUCTIONS FOR			W THE REVERSE SI	CEPIER OCC
erator			SECTI Lease	UN A		Vell No.
Ohio	Dil Co.			King-Day	is Federal	19 AM 8 To
ait Letter Section		Township		S.	County	
D	28 Cation of Valle	85	l	<u>37E</u>	Rooseve	1t, N.M.
660	feet from the	North ii	ne and 660	fee	t from the West	line
und Level Elev		Formation	Pool			Dedicated Acreage:
	Bou	gh "C"	Bl	uitt-Pen	nsylvanian	80 Acr
Is the Operator	the only owner i	in the dedicated and	ann amhliaid an	A		("Ouner" means the pe
who has the rigi	bt to drill into a	nd to produce from a	my pool and to a	the plat below ppropriate the	<pre>? YES NO _A production number for I</pre>	("Ouner" means the pe numself or for himself and
GRO(Der. (0)- 5	-29 (e) NMSA 1	(935 Comp.)				
If the answer to	question one is	"ao," have the inte	creats of all the	owners been c	onsolidated by commu	nitization agreement or othe
WINEL IES	NO	if answer is "yes,"	' Type of Coaso	lidation Up	erating Agre	ement
lei	Jacound (MO 18	"no," list all the o	waers and their			RECEIVED
·····				Land Descrip	100	APR 1 1 1960
				······································	······································	U. S. GEOLUGICAL SURVE
			·····			HOBBS, NEW MEXICO
		SECTION B	,			CERTIFICATION
, Į		OHIO				CERTIFICATION
60						y certify that the information
	j j			1		TION A above is true and co
660- 4 1					belief.	the best of my knowledge a
				1		lan l. s.
				1	Name	- sugar
		·		+	$ T_{\bullet} O$	• Webb
		80 Acres		i		• <u>Ohio Oil Comp</u> any
		Dedicated			Compan	
		Acreage		1		Petroleum Engir
	1			1	Date 4-1-	60
	l l	"King-Dav	is"			
		U.S.	**************************************	<u> </u>		
	i			1		
	į				I hereby	certify that the well locatio
					shown o	n the plat in SECTION B wa
						rom field notes of actual made by me or under my
	ļ	•8.				ion, and that the same is tru
					and corr	ect to the best of my knowle
		- T		T	and beli	ef.
					3	/30/60
				1	Date Sur	veyed
		· · · · ·				
				1	B	- + D- (
					Register and/or 1	ed Professional Esgineer
					Register and/or L	ed Professional Esgineer and Surveyor, JOHN W. WE

•

. .

. .

Υ

3

ş

· ·

 $DECEMD \\ APR4 1960$

THE OHIO OIL CO. HOBBS, PROD. OFF.