	- WAY IG U. W.	
ABDONED	HOBBS	Budget Bureau No. 42–R358.4. Approval expires 12–31–60.
APPROVED	(SUBMIT IN TRIPLICATE)	Land Office . New Nexico
JUN 2.9 1959	UNITED STATES	Lease No. 045651-4
	DEPARTMENT OF THE INTERI	OD Unit
BISTRIC ENGINEER	GEOLOGICAL SURVEY	NECEN JUN2 9 100
	GEOLOGICAL SURVEY	A STATE OF THE STATE
	OTICES AND REPORTS	ON WELLS OBBS, NEW MEXT
NOTICE OF INTENTION TO DRILL		F WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE FLAN		SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO RE-DRILL OR		RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACI		ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTE		IISTORY
NOTICE OF INTENTION TO ABANDON WEL	L	
	BOVE BY CHECK MARK NATURE OF REPORT, NOTICE, O	
'ederal Silver *B* /ell No. 1 is located	1930 ft. from 18	ft. from (19.59)
	[5]	
W SW Sec.21	85 375	(**)
W Sw Sec.21 (1/4 Sec. and Sec. No.) Initt-Pannsylvanian (Field)	85 375	(**)
W SW Sec.21 (4 Sec. and Sec. No.) Unitt-Pannaylvanian (Field) he elevation of the derrick flo tate names of and expected depths to object and the derrick flo	(Twp.) (Range) (Meri Roossvelt (County or Subdivision) or above sea level is ft. DETAILS OF WORK ective sands; show sizes, weights, and lengths of prog- ing points, and all other important proposed work)	dian) dian) (State or Territory) (State or Territory)
W SW Sec.21 (4 Sec. and Sec. No.) Unitt-Pennsylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows:	(Twp.) (Range) (Meri Roosevelt (County or Subdivision) or above sea level is	dian) Mer Mexico (State or Territory) posed casings; indicate mudding jobs, cement- cely 9,700'. The pipe
W SW Sec.21 (1/4 Sec. and Sec. No.) Unitt-Pennsylvanian (Field) the elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a:	(Twp.) (Range) (Meri Roossvelt (County or Subdivision) or above sea level is	dian) May Maxico (State or Territory) posed casings; indicate mudding jobs, cement- vely 9,700 [†] . The pipe ment to circulate to surface
W SW Sec.21 (4 Sec. and Sec. No.) Unitt-Pennsylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a: 9-5/8" to be set a:	(Conty or Subdivision) (Twp.) (Range) (Meri Roosevelt (County or Subdivision) or above sea level is	dian) dian) Mer Merrico (State or Territory) posed casings; indicate mudding jobs, cement- vely 9,700'. The pipe ment to circulate to surface.
W SW Sec.21 (4 Sec. and Sec. No.) Unitt-Pennsylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a: 9-5/8" to be set a:	(Twp.) (Range) (Meri Roossvelt (County or Subdivision) or above sea level is	dian) dian) Mer Merrico (State or Territory) posed casings; indicate mudding jobs, cement- vely 9,700'. The pipe ment to circulate to surface.
W SW Sec.21 (4 Sec. and Sec. No.) Unitt-Permeylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set at 9-5/8" to be set at app	(Conty or Subdivision) (Twp.) (Range) (Meri Roosevelt (County or Subdivision) or above sea level is	dian) Mer Mexico (State or Territory) posed casings; indicate mudding jobs, cement- tely 9,700'. The pipe ment to circulate to surface. memont to circ. to surface. At to obtain 1000' of fill.
W SW Sec.21 (M Sec. and Sec. No.) Unitt-Permsylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a: 9-5/8" to be set a: 7" to be set at app 1 casing will be set an	(Control of approx. 1200' w/sufficient centrol of approx. 9650' w/sufficient centrol of approx. 9650' w/sufficient centrol of approx. 9650' w/sufficient centrol of approx.	dian) Mar Maxico (State or Territory) (State or Territory) (St
W SW Sec.21 (4 Sec. and Sec. No.) Unitt-Permaylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a: 9-5/8" to be set a: 7" to be set at app 1 casing will be set and I understand that this plan of work mu	(County or Subdivision) (Twp.) (Range) (Meri Roossvelt (County or Subdivision) or above sea level is	dian) Mer Mexico (State or Territory) posed casings; indicate mudding jobs, cement- vely 9,700'. The pipe ment to circulate to surface. Memont to circ. to surface. It to obtain 1000' of fill. approved methods. ey before operations may be commenced.
W SW Sec.21 (4 Sec. and Sec. N2.) Unitt-Permaylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a: 9-5/8" to be set a: 7" to be set at app 1 casing will be set and I understand that this plan of work mu	(County or Subdivision) (Twp.) (Range) (Meri Roossvelt (County or Subdivision) or above sea level is	dian) Mer Mexico (State or Territory) posed casings; indicate mudding jobs, cement- vely 9,700'. The pipe ment to circulate to surface. Memont to circ. to surface. It to obtain 1000' of fill. approved methods. ey before operations may be commenced.
W SW Sec.21 (4 Sec. and Sec. N2.) Unitt-Pennsylvanian (Field) he elevation of the derrick flo tate names of and expected depths to obje an to drill a Bough "C" ogram is as follows: 13-3/8" to be set a: 9-5/8" to be set a: 9-5/8" to be set at app 1 casing will be set and I understand that this plan of work mu ompany THE OBIO OIL COM	(County or Subdivision) (Twp.) (Range) (Meri Roossynelt (County or Subdivision) or above sea level is	dian) Mer Mexico (State or Territory) posed casings; indicate mudding jobs, cement- vely 9,700'. The pipe ment to circulate to surface. Memont to circ. to surface. It to obtain 1000' of fill. approved methods. ey before operations may be commenced.

GPO 862040

DISTRIBUTION:

U.S.G.S. Mr. J. A. Grimes Mr. L. H. Shearer Mr. D. L. Province Mr. T. A. Stoele Mr. T. G. Webb

•

2 M - 1 41

•

•

.

•

*

.

. •

· -

. .

FORM C-128 NEW MEXICO OIL CONSERVATION COMMISSION Revised 5/1/57 WELL LOCATION AND ACREAGE DEDICATION PLAT SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE SECTION A Operator Lease Well No. Ohio Obi Co. Federal Silver WBP 1 I'nit Letter Section Township Range County Ł 21 8 S 37 E koosove1t Actual Footage Location of Well: 1980 feet from the South 660 line and feet from the Lest line Ground Level Elev. Producing Formation Pool Dedicated Acreage: Bough "C" 4028.15 Bluitt-Pennsylvanian ШΟ Acres who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and unother. (65-3-29 (e) NMSA 1935 Comp.) 2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES_____ NO _____. If answer is "yes," Type of Consolidation _ 3. If the answer to question two is "no," list all the owners and their respective interests below: RECEIVED Owner Land Description JUN 2 9 1959 赹. S. DE LOGICAL SURVEY CERTIFICATION SECTION B OHIO I hereby certify that the information "B" in SECTION A above is true and complete to the best of my knowledge and belief John R. Barber Position Petroleum Engineer Company The Ohio Oil Company Date June 26, 1959 I hereby certify that the well location 40 Acres shown on the plat in SECTION B was 1 Dedicated 660'**~** plotted from field notes of actual Acreage surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. 030 Date Surveyed 5-22-59 Registered Professional Engineer and/or Land Surveyor, JOHN W WEST C. Silver U.S.

2000

1500

1000

330 660 990 1320 1650 1980 2310 2640

 \mathbf{O}

Cortificate No. N. M. - P.E. B L.S. NO. 676

0

500