			OPY TO U.C.C.		
					reau No. 42-R358.4.
Form 9-331a (Feb. 1951)	962		10585	Appi	1
		SUBMIT IN	TRIPLICATE)		M-058677
		UNITER	STATES OCC		
			OF THE INTERIOR	Unit	Federal
			CAL SURVEY	D	Σ.
		1962 A	PR 24 MM 9:43		
 ii	J				APRIT 4992
5	SUNDRY NOTICI	ES ANI	D REPORTS O	N WELI	S GEOLAGIA
					HOBBS, NEW WESTER
	TION TO DRILL		SUBSEQUENT REPORT OF WATE		
	TION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOO		
	TION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTER		
	TION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DR SUBSEQUENT REPORT OF ABANI		
-	TION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTOR		
	TION TO ABANDON WELL		SOFTLEMENTARY NEEL MOTOR	•	
	(INDICATE ABOVE BY CHE	ECK MARK NAT	URE OF REPORT, NOTICE, OR OTHE	R DATA)	
			April 16		1962
					, 17
Well No.	-Federal 2 is located 1930 f 3ec. 22 8; Sec. No.) (Twp.)	,	N line and 1000ft. fr	、 ,	e of sec. 🕰
Well No. <u>32/4</u> Mai/4 (% See. and Jouth Prair (Field)	2 is located 1980 f .3ec. 22 8; .sec. No.) (Twp.) .ie-Penn. Roo	36 (Ran Sevelt ((County or Sub	N line and 1)00ft. fr Source (Meridian) County edivision)	Iev Mex1. (State or Territ	0
Well No. <u>32/4</u> Mai/4 (% See. and Jouth Prair (Field)	2 is located 1930 f .3ec. 22 83 (Twp.) ie-Penn. Roc (d) of the derrick floor above	36 (Ran Daevelt C (County or Sub e sea level i	N line and 1000ft. fr Source (Meridian) County edivision) is 4120 ft. estim	Iev Mex1. (State or Territ	0
Well No. <u>32/4</u> <u>Ma/4</u> (% Sec. and South Prair (Field) The elevation	2 is located 1930 f 3ec. 22 8 3 (Twp.) 1e-Penn. Roc (I) of the derrick floor above	(Ran (Ran Osevelt () (County or Suf e sea level i DETAILS	N line and 100ft. fr source (Meridian) county odivision) is 4120 ft. estim OF WORK	Iev Mex1. (State or Territ ated	CO ory)
Well No. <u>33/4</u> Ma/4 (% Sec. and <u>Jouth Prais</u> (Fie The elevation (State names of and	2 is located 1930 f 3ec. 22 3 Sec. No.) (Twp.) 1e-Penn. Roo M) of the derrick floor above 1 expected depths to objective sands ing points.	(Ran (Ran (County or Sub (County or Sub e sea level i DETAILS ; show sizes, w ; and all other	N line and 1000ft. fr South Maridian County adivision is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work)	State or Territ (State or Territ ateri asings; indicate	QQ .ory) mudding jobs, cement-
Well No. 33/4 Mai/4. (% Sec. and South Prair (Fiel) The elevation (State names of and to propose to	2 is located 1930 f 3ec. 22 3 (Twp.) 1e-Penn. Roo M) of the derrick floor above	(Ran (Ran (County or Sub (County or Sub e sea level i DETAILS ; show sizes, w ; and all other	N line and 1000ft. fr South Maridian County adivision is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work)	State or Territ (State or Territ ateri asings; indicate	QO .ory) mudding jobs, cement-
Well No. 32/4 Ma/4, (% Sec. and South Prair (Field) The elevation (State names of and c propose to est w/Rotary prill 13 3/4 prill 3 5/3 Troulate cent	2 is located 1930 f .3ec. 22 3: Sec. No.) (Twp.) ie-Penn. Roo M) of the derrick floor above respected depths to objective sands ing points, o drill Shell Bate-Re Tools as follows: hole to 330' and ce hole to 4120' and ce	(Ran onevelt ((County or Suf e sea level i DETAILS ; show sizes, w ; and all other ederal de ment 32.	N line and 1000ft. fr South and 1000ft. fr South and 1000ft. fr (Meridian) County adivision) is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work) 11 No. 2 as a 7750 75#, 10 3/4" casin 4# & 24#, 7 5/3 c	New Mex1. (State or Territ ated asings; indicate -foot Pen g w/300 s asing w/5	co ory) mudding jobs, coment- nsylvanian x. Circ. cemen 00 sx.
Well No. <u>32/4</u> M/4, (4 Sec. and <u>Jouth Prair</u> (Fie The elevation (State names of and c propose to est v/Rotary rill 13 3/4 rill 3 5/3 irculate cen	2 is located 1930 f .3ec. 22 8; Sec. No.) (Twp.) ie-Penn. Roo M) of the derrick floor above I expected depths to objective sands ing points, o drill Shell Bate-2e Tools as follows: hole to 330' and ce nole to 4120' and co pent.	(Ran onevelt ((County or Suf e sea level i DETAILS ; show sizes, w ; and all other ederal de ment 32.	N line and 1000ft. fr South and 1000ft. fr South and 1000ft. fr (Meridian) County adivision) is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work) 11 No. 2 as a 7750 75#, 10 3/4" casin 4# & 24#, 7 5/3 c	New Mex1. (State or Territ ated asings; indicate -foot Pen g w/300 s asing w/5	CO ory) mudding jobs, coment- nsylvanian x. Circ. comen OO sx.
Well No. <u>38/4</u> Ma/4, <u>64 Sec. and</u> <u>30uth Prair</u> (Fie The elevation (State names of and c propose to est u/Rotary rill 13 3/4 rill 3 5/3 irculate cen	2 is located 1930 f .3ec. 22 8; Sec. No.) (Twp.) ie-Penn. Roo M) of the derrick floor above I expected depths to objective sands ing points, o drill Shell Bate-2e Tools as follows: hole to 330' and ce nole to 4120' and co pent.	(Ran onevelt ((County or Suf e sea level i DETAILS ; show sizes, w ; and all other ederal de ment 32.	N line and 1000ft. fr South and 1000ft. fr South and 1000ft. fr (Meridian) County adivision) is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work) 11 No. 2 as a 7750 75#, 10 3/4" casin 4# & 24#, 7 5/3 c	New Mex1. (State or Territ ated asings; indicate -foot Pen g w/300 s asing w/5	co ory) mudding jobs, coment- nsylvanian x. Circ. cemen 00 sx.
Well No. <u>32/4</u> Ma/4. (4 Sec. and Jouth Prair (Field The elevation (State names of and c propose to test 4/Rotary rill 13 3/4 rill 3 5/3 irculate centrill f 3/4	2 is located 1930 f .3ec. 22 8; Sec. No.) (Twp.) ie-Penn. Roo M) of the derrick floor above I expected depths to objective sands ing points, o drill Shell Bate-2e Tools as follows: hole to 330' and ce nole to 4120' and co pent.	(Ran control of Suff (County or Suff sea level i DETAILS show sizes, w and all other ederal de ment 32- ment 26. ment 9.9	N line and 100ft. fr Soft ge (Meridian) County odivision) is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work) 11 NO. 2 as a 7750 75#, 10 3/4" casin 4# & 24#, 7 5/3 a	New Mex1. (State or Territ atcd asings; indicate -foot Ferring g v/300 s asing v/5 casing v/5	co ory) mudding jobs, cement- nsylvanian x. Circ. cemen 00 sx. 250 sx.
Well No. 33/4 Ma/4. (4 Sec. and Jourth Prair (Fie The elevation (State names of and c propose to est 4/Rotary rill 13 3/4 rill 3 5/3 irculate centrill 6 3/4 I understand th	2 is located 1930 f 3ec. 22 8; Sec. No.) (Twp.) ie-Penn. Roo 1 of the derrick floor above 1 expected depths to objective sands ing points, 0 drill Shell Bate-2e Tools as follows: hole to 380' and ce nole to 4120' and ce nole to 9750' and ce	(Ran control of Suff (County or Suff sea level i DETAILS show sizes, w and all other ederal de ment 32- ment 26. ment 9.9	N line and 100ft. fr Soft ge (Meridian) County odivision) is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work) 11 NO. 2 as a 7750 75#, 10 3/4" casin 4# & 24#, 7 5/3 a	New Mex1. (State or Territ atcd asings; indicate -foot Ferring g v/300 s asing v/5 casing v/5	anudding jobs, cement- nsylvanian x. Circ. cemen 00 sx. 250 sx.
Well No. <u>JB/4</u> MJ/4. (4 Sec. and Jouth Prair (Fie The elevation (State names of and c propose to lest J/Rotary 0rill 13 3/4 rill 3 5/3 Firculate centric Tunderstand th Company	2 is located 1930 f 3cc. 22 3: Sec. No.) (Twp.) ie-Penn. Room if expected depths to objective sands ing points, o drill Shell Bate-Per Tools as follows: hole to 330' and can hole to 4120' and can incle to 9750' and can bale to 9750' and can bale to 9750' and can hole to 9750' and ball ball ball ball ball ball ball bal	(Ran control of Suff (County or Suff sea level i DETAILS show sizes, w and all other ederal de ment 32- ment 26. ment 9.9	N line and 100ft. fr Soft ge (Meridian) County odivision) is 4120 ft. estim OF WORK eights, and lengths of proposed c important proposed work) 11 NO. 2 as a 7750 75#, 10 3/4" casin 4# & 24#, 7 5/3 a	New Mex1. (State or Territ atcd asings; indicate -foot Ferring g v/300 s asing v/5 casing v/5	co ory) mudding jobs, cement- nsylvanian x. Circ. cemen 00 sx. 250 sx.
Well No. 32/4 Ma/4. (4 Sec. and 30uth Prair (Field The elevation (State names of and c propose to best 4/Rotary prill 13 3/4 prill 3 3/4 prill 3 3/4 Troulate cent rill 6 3/4 Lunderstand th Company Address	2 is located 1930 f 3cc. 22 3: Sec. No.) (Twp.) ie-Penn. Room if expected depths to objective sands ing points, o drill Shell Bate-Per Tools as follows: hole to 330' and can hole to 4120' and can incle to 9750' and can bale to 9750' and can bale to 9750' and can hole to 9750' and ball ball ball ball ball ball ball bal	(Ran control of Suff (County or Suff sea level i DETAILS show sizes, w and all other ederal de ment 32- ment 26. ment 9.9	N line and 100ft. fr South of the second se	ilew Mexi. (State or Territ ated asings; indicate -foot Ferring g v/300 s asing v/5 casing v/5 casing v/ orre operations m	co ory) mudding jobs, cement- nsylvanian x. Circ. cemen 00 sx. 250 sx.

TitleDistrict Exploitation Engineer

NUMBER TE CUPIES HE CE. 7 0. Stribution SANT •				EW MEX	ICO OIL	CONSER	VATION	MMISSI	FOR DN Revi	M C-128 ised 5/1/57
File 1	· · · · · · · · · · · · · · · · · · ·		WELL	LOCAT	ION ANI) ACRE	AGE DED	ICATION	PLAT	
TRANSPORTER GL			SEE INS	TRUCTIONS	FOR COM	PLETING	HIS FORM O	N THE REVE	ERSE SIDE	
PHONA TION CERTICE	+						H0885 (office o	CC	
					SECTIO	N A			<u></u>	
Operator	.30	11 011	Company		Lease		62 APR 2	1 M 9	* 43 Well No.	<i>t</i> 3
Unit Letter	Section	. 	Township		Rang					ž
Į,		2		9.)	Tang	ັ 36 ມ	County	Rooser	melt	
Actual Footage L				1.	· · · · ·		······			
1900 Ground Level Ele	feet fro	oducing Fo	morth mation	line and	Pool	80	feet from the	vest	line Dedicated Acres	2 (6 4)
not availat	1		neylvar	lian		outh Pr	eirie-Pen	n.	80	Acres
I. Is the Operato	r the only	owner in t	he dedicat	ed acreage o	utlined on t	he plat bel	ow? YES 🐰	NO	(''Ounet'' maa	ns the barron
who has the ri	ght to dri	ll into and	to produce	e from any po	ol and to ap	propriate ti	be production	either for hin	self or for himse	ns the person
another. (65–	-3–27 (e)	NMSA 193	5 Comp.)							
 If the answer t wise? YES 	to questic NO	on one is "	no,'' have answer is	the interests	of all the of Concoli	wners beer dation	a consolidated	by communi	tization agreemen	nt or other-
3. If the answer :							nterests belov	w:		
Owner						Land Desc				
			SECT	ION B				 		
	 T	4.			<u> </u>				CERTIFICATIO	И
						(1	certify that the i	1
									ON A above is tr	
	l							belief.	he best of my kn	owledge and
		i				1				Signed By
		• *						Name	R. A. 1	LOWERY
	+			╉ ───		╄		R. A. 1 Position	overy	
						1			t aploitat	ion Engine
1	i							Company	H1 Company	
	· · · · ·	~ 0)			!		Date	ur cosfeeth	
						1			APR 1 6 19	62
						1				
						<u> </u>				
						1		I hereby o	certify that the w	elt location
						1			the plat in SECT	
	Ì					l			om field notes of	
						1			nade by me or und on, and that the s	
	Ì								ct to the best of a	
				+		+		and belie		Ŭ
						1				
1								Date Surv		
	1					1		Register	4-12- d Professional E	62
	l								a Professional E .nd Surveyor	ngineer
	ł					1			•	\downarrow \downarrow
				P				Carris	e No. 1-71	
0 330 660 9	990 1320	0 1650 196	30 2310 2	2640 200	00 1500	1000	500 0	, eennear	e No. 1-76.	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.