

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	X	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Roswell, New Mexico  
(Place)

March 15, 1961  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Shell Oil Company State BUA Well No. 2 in E  
(Company or Operator) (Unit)  
SW 1/4 NW 1/4 of Sec. 16, T. 8-S, R. 37-E, NMPM., Bluit-Pennsylvanian Pool  
(40-acre Subdivision)  
.....County.

FULL DETAILS OF PROPOSED PLAN OF WORK

Existing Condition

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

T.D. 12,595'  
Top bottom cem. plug  
@ 11,560'  
Top Miss. 11,460'  
5 1/2" cem. @ 9561'  
Cmt top (est) @ 8200'  
Csg perfs 9402-9420'  
Top Penn. @ 9337'  
9-5/8" @ 4140'  
Cmt to surface  
Top S.A. @ 4005'  
13-3/8" @ 347'  
Cmt to surface

1. Spot 20 sxs Class "E" cement from PBTD (9453') back to 9370'.
2. Pull up and displace hole with mud.
3. Check casing free point and cut 5 1/2" casing (estimate cut about 8200').
4. Pull 5 1/2" casing.
5. Condition hole and spot 45 sxs Class "E" cement on top of cut (approximately 50' in and out of 5 1/2").
6. Spot 45 sxs Class "E" cement at base of S.A. (5450-5350').
7. Spot 45 sxs Class "E" cement from 4190' back to 3950'.
8. Cap 9-5/8" with 10 sxs cement and erect prescribed marker.

Approved....., 19.....  
Except as follows:

Approved  
OIL CONSERVATION COMMISSION

By.....  
Title.....

Shell Oil Company

Company or Operator

By R. L. Elkins

ORIGINAL SIGNED BY

R. L. ELKINS

Position Division Mechanical Engineer

Send Communications regarding well to:

Name Shell Oil Company

Address Box 845 Roswell, New Mexico