

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instruction
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

MT-044216-C

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal #1

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

East Bluff San Andres

11. SEC. T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 24, T8S, R37E

12. COUNTY OR PARISH

Roosevelt

13. STATE

N. Mex.

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TOM L. INGRAM

3. ADDRESS OF OPERATOR

P. O. Box 1757, Roswell, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

600 FWL & 1980 FWL of Section

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4003 DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☒

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Page 2.....

- 4/28/69 Drilled solid cement from 4850' to 4802'. Cleaned out to 4815'. Pressured to 2000 psi. Held okay.
- 4/29/69 Perforated 1 spf 4742, 46, 48, 50, 53, 57, 60, 67, 70. Ran tubing to 4755'. (1 jt. seating nipple, 1 jt. packer) w/packer @ 4693'. Snubbed dry with sll. show of oil.
- 4/30/69 Acidized w/800 gals. 95-30. Maximum pressure 2200. After formation broke, treated @ 800 psi @ 1/3 bbl. per min. ISDP 400. On vacuum in one min. Snubbed load and acid water w/sll. show of oil & gas.
- 5/1/69 After shut in 12 hrs., tubing pressure 50, FL 2000' from surface. Started snubbing sll. show of oil and gas.

18. I hereby certify that the foregoing is true and correct

SIGNED

Tom L. Ingram

TITLE

Operator

DATE

May 1, 1969

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED

MAY 5 1969

*See Instructions on Reverse Side

J. L. GORDON
ACTING DISTRICT ENGINEER

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instruction
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-044216- C

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "G"

9. WELL NO.

10. FINED AND POOL, OR WILDCAT

East Bluffs San Andres

11. SEC., T., R., M., OR BLK. AND
SURVEY OR ABMA

Sec. 24 - T8S - R37E

12. COUNTY OR PARISH

Roswell

13. STATE

N. Mex.

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TOM L. INGRAM

3. ADDRESS OF OPERATOR

P. O. Box 1757, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

660 FNL & 1980 FNL of Section

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4003 DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 3/19/60 Cemented w/50 sx. Incor w/2% Ca. Chi. & 100 sx. Incor containing 4/10th gal. D-73 & 7/10% D-65 per sx. Squeezed to 4300 psi. Held okay. Pulled 16 jts. & reset packer. Pressured up to 2000 psi and shut in.
- 3/20/60 Cleaned out to 4814'. Pressured to 1500 psi. Held okay.
- 3/21/60 Perforated w/1spf 4744-4753 (10 holes). Ran tubing to 4745' w/packer set @ 4834'. Snubbed dry.
- 3/22/60 A/500 gals. DS-30. Formation broke @ 3900 psi. Snubbed lead and snubbed dry w/sll sludg. of oil & gas. Reacidized w/2000 gals. DS-30. Average injection rate 4 BF per min. ISDP 1380. On vacuum in 5-3/4 min. Snubbed lead.
- 3/23/60 Snubbing formation water @ 8PM. FL 2000' from surface. Perforated 1 spf 4785-4802. Ran tubing and packer to 4789'. Attempted to acidize w/500 gals. DS-30. Unable to break formation.
- 4/22/60 Ran tubing and packer to 4790'.
- 4/23/60 Circulated 1000 gals. DS-30 to spot. Pkr. would not hold. Pumped acid away. Pulled tubing.
- 4/24/60 Ran tubing and pkr. to 4790'. Could not pressure back side. Set pkr. @ 4809'. Pkr. holding. Set pkr. @ 4780' and would not hold. Set @ 4780' and would not hold. Definite communication of all perfs. Pulled tubing.
- 4/25/60 Ran tubing & RTTS to 4559'. Squeezed w/125 sx. Incor cement w/CF₂ to 4000 psi. Rev. out 3 sx. of cement. Pulled tubing & pkr.
- 4/26&27/60 WOC

(See page 2)

18. I hereby certify that the foregoing is true and correct

SIGNED _____

TITLE _____

DATE _____

(This space for Federal or State office use)

APPROVED BY _____

CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

APPROVED DATE _____

*See Instructions on Reverse Side

MAY 5 1969

J. L. GORDON
ACTING DISTRICT ENGINEER

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depth (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1963-O-885229

887-881