(SUBMIT IN TRIPLICATE)

Land Office Las 675684 Lease No. 061 341 Unit

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO D	RILL	SUBSEQUENT R	REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO C	HANGE PLANS	SUBSEQUENT R	EPORT OF SHOOTING OR ACIDIZING.	
NOTICE OF INTENTION TO T	EST WATER SHUT-OFF	SUBSEQUENT R	EPORT OF ALTERING CASING	
NOTICE OF INTENTION TO R	E-DRILL OR REPAIR WELL	SUBSEQUENT R	EPORT OF REDRILLING OR REPAIR_	
NOTICE OF INTENTION TO S	HOOT OR ACIDIZE	SUBSEQUENT R	EPORT OF ABANDONMENT	
NOTICE OF INTENTION TO P	ULL OR ALTER CASING	SUPPLEMENTAR	RY WELL HISTORY	
		•		
KOTICA CY LETTE	TION TO PLUG BACK	1		
AND TSST	(INDICATE ABOVE BY CHECK MARK	ATURE OF REPORT,	NOTICE, OR OTHER DATA)	
		${f m}\left\{ {f S} ight\}$ line and	1660 ft. from $\left\{ \begin{matrix} E \\ V \end{matrix} \right\}$ line of the second se	
	is located 1980 ft. from	${f m}\left\{ {f S} ight\}$ line and	.660 ft. from $\begin{bmatrix} E \\ V \end{bmatrix}$ line of	
(1/4 Sec. and Sec. No.)		m $\left\{ \begin{array}{c} \mathbf{N} \\ \mathbf{S} \end{array} \right\}$ line and $\left\{ \begin{array}{c} \mathbf{N} \\ \mathbf{R} \\ \mathbf{R} \\ \mathbf{R} \\ \mathbf{R} \\ \mathbf{R} \end{array} \right\}$.660 ft. from $\begin{bmatrix} E \\ V \end{bmatrix}$ line of	
(1/4 Sec. and Sec. No.)	(Twp.)	m $\left\{ \begin{array}{c} \mathbf{N} \\ \mathbf{S} \end{array} \right\}$ line and $\left\{ \begin{array}{c} \mathbf{N} \\ \mathbf{R} \\ \mathbf{R} \\ \mathbf{R} \\ \mathbf{R} \\ \mathbf{R} \end{array} \right\}$	1660 ft. from $\left\{ \begin{matrix} E \\ \end{pmatrix} \right\}$ line of the second seco	of sec\$
(¥ Sec. and Sec. No.)	(Twp.)	m S line and	(State or Territor	of sec\$
(¥ Sec. and Sec. No.)	(Twp.) (Twp.) County o (County o derrick floor above sea lev	m S line and (Range)	1.660 ft. from $\{\begin{matrix} E \\ \hline \end{matrix}$ line of the second	of sec\$

This well bottomed in quartrite at 6579 feet. Logs and samples do not show connertial oil of gas prospects below 4500 feet. It is planned to plug open hole with a ment and plastic from 4700 to 4500 feet and test Sinughter pay equivalent from 4300 to 4500 feet, addiring if necessary.

 I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

 Company
 Shell 011 Company. Incorporated

 Address
 Box 1457 Fobbs, New Period

 By
 Frank R. Lovering

 Title
 Steriot Superiodentient