


COPY TO



APPROVED

(SUBMIT IN TRIPLICATE)

UNITED STATES

APR 1 1960

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

J. L. GORDON

ACTING DISTRICT ENGINEER

Land Office Hobbs, New Mexico

Lease No. NM 03431

Unit Las Cruces "B"

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Hobbs, New Mexico

March 31, 19 60

Las Cruces "B"

Well No. 1 is located 660 ft. from  $\begin{Bmatrix} N \\ E \end{Bmatrix}$  line and 660 ft. from  $\begin{Bmatrix} E \\ W \end{Bmatrix}$  line of sec. 30

NW/4 NW/4 Sec. 30

8-8

37-E

N.M.P.M.

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Allison Pennsylvanian

Roosevelt

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

To be drilled with rotary tools from surface to total depth of approximately 9850' in the Pennsylvanian formation. Casing program to be approximately as follows:

Size Hole	Size Casing	Approx. Casing Point	Depth Cement
17-1/4"	13-3/8" OD	400'	350
11"	8-5/8" OD	4200'	1400
7-7/8"	5-1/2" OD	9850'	400

The Halliburton Process will be used in cementing all casing and cement will be circulated to surface on the 13-3/8" OD casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shelly Oil Company

Address P. O. Box 38

Hobbs, New Mexico

By

Title

Dist. Supt.

APPROVED

1960

A. L. GORDON  
SENIOR PROJECT ENGINEER