


APPROVED COPY TO O. C. C. HOBBS

Form 9-331a
(Feb. 1961)

MAR 14 1962

(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4.
Form Approved.



E. W. STANDLEY
DISTRICT ENGINEER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**

Lease No. **062178**

Unit **A**

MAR 14 1962

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

E. M. Federal "P"
Well No. **7** is located **660** ft. from **N** line and **660** ft. from **E** line of sec. **13**
NE 1/4 of NE 1/4 Sec 13
(1/4 Sec. and Sec. No.)
Milnesand San Andres
(Field)
85
(Twp.)
34E
(Range)
107W
(Meridian)
Hobbs
(County or Subdivision)
New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Set 8 5/8" 24# cas @ 150' and wire ext. Pressure test casing to 1000 psi for 30 minutes.
2. Set 4 1/2" casing 9.5# @ 4700'. Cement w/200 sz cement. Pressure test casing to 1000 psi for 30 minutes.
3. Perforate San Andres and sand oil free w/20,000 gals refined oil and sand in 4 stages using rubber balls.
4. Run tubing and put well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Sanrey Mid-Continent Oil Company**

Address **P. O. Box 128**
Hobbs, New Mexico

By **R. E. Berry** for
A. A. Statton
Title **District Engineer**

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-120
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A

Operator SUNRAY MID-CONTINENT OIL COMPANY		Lease NEW MEXICO FEDERAL "F"		Well No. 8
Unit Letter A	Section 13	Township 8 SOUTH	Range 2 34 EAST	County ROOSEVELT
Actual Footage Location of Well: 660 feet from the NORTH line and 660 feet from the EAST line				
Ground Level Elev. 4243.95	Producing Formation San Andres		Pool Millnesand San Andres	Dedicated Acreage: 40 Acres

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization or otherwise? YES ☐ NO ☐ If answer is "yes," Type of Consolidation **Joint Adventure with the Texas Co.**
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B

CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name **D. E. Berry**
Position **Staff Engineer**
Company **Sunray Mid-Continent Oil Company**
Date **March 14, 1962**

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed **3/13/62**
Registered Professional Engineer and/or Land Surveyor, **JOHN W. WEST**
Certificate No. **JOHN W. WEST**
N. M. - P. E. & L. S. NO. 676

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0