

**Union Texas
Petroleum**

Southwest Division
1300 Wilco Building
Midland, Texas 79701
(915) 684-0600

July 28, 1983

Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico 87501

Attention: Underground Injection


Re: Application to Inject Salt Water
into underground formation
Milnesand (SA) Unit Well #59
Roosevelt County, New Mexico

Gentlemen:

A copy of the application by Union Texas Petroleum Corporation, to inject salt water into an underground formation, by subject well, has been sent by certified mail to surface owner, Mr. Orbrie Luman, Box 43, Milnesand, New Mexico 88125. There are no other oil operators within 1/2 mile distance of the proposed injection well.

Very truly yours,

UNION TEXAS PETROLEUM CORPORATION



William A. Higgins
Production Services Supervisor


WAH:hb
Attachment

RECEIVED

SEP 12 1967

D.C.D.
HARRIS OFFICE

APPLICATION FOR AUTHORIZATION TO INJECT

- I. Purpose: ☒ Secondary Recovery ☐ Pressure Maintenance ☐ Disposal ☐ Storage
Application qualifies for administrative approval? ☒ yes ☐ no
- II. Operator: Union Texas Petroleum Corporation
Address: 1300 Wilco Bldg., Midland, Texas 79701
Contact party: W. A. Higgins Phone: 915-684-0619
- III. Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? ☒ yes ☐ no
If yes, give the Division order number authorizing the project R-3770
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- * VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
 2. Whether the system is open or closed;
 3. Proposed average and maximum injection pressure;
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- *VIII. Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- * X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division they need not be resubmitted.)
- * XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification
- I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- Name: W. A. Higgins Title: Prod. Services Supervisor
Signature:  Date: 9-9-83
- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be duplicated and resubmitted. Please show the date and circumstance of the earlier submittal. 1970 - Secondary Recovery Authority R-3770

RECEIVED

SEP 12 1983

O.C.D.
HOBBS OFFICE

SUPPLEMENT TO FORM C-108
APPLICATION FOR AUTHORIZATION TO INJECT

III. WELL DATA: See attached injection well sheet.

VI. The following wells are located within 1/2 mile of the Milnesand #59:

<u>WELL NAME</u>	<u>TOTAL DEPTH</u>	<u>COMPLETED AS</u>	<u>CURRENT STATUS</u>
Milnesand #55	4697'	San Andres Oil Well	Producing
Milnesand #58	4707'	San Andres Oil Well	Producing
Milnesand #161	4700'	San Andres Oil Well	Producing
Milnesand #515	4800'	San Andres Oil Well	Producing
Milnesand #522	4750'	San Andres Oil Well	Producing
Milnesand #525	4750'	San Andres Oil Well	Producing

A wellbore sketch of each is attached which shows each well construction.

VII. Data on proposed operation:

1. Estimated Average Daily Rate 300 BWPD
Estimated Average Daily Volume 1400 BWPD
Estimated Maximum Daily Rate 500 BWPD
Estimated Maximum Daily Volume 1800 BWPD
2. The System is Closed.
3. Estimated Average Injection Pressure 1400 psi
Estimated Maximum Injection Pressure 1800 psi
Step rate tests in this area of the field have shown the formation parts above 1800 psi surface pressure.
4. Produced water is reinjected plus water purchased from Mobil's crossroads water station.
5. Injection is not for disposal purposes.

VIII. This information furnished September, 1970, Case #4433, OCC Order #R-3770-A.

IX. Well stimulated with 3000 gallons 15% NEFE acid, avg. rate 5 BPM at 1000 psi with max pressure of 1600 psi.

X. Logging data previously furnished. Welex radioactivity Log 4-6-62

XI. There are no fresh water producing wells in this area.

XII. This well is for water injection purposes only.

XIII. Proof of notice attached.

Affidavit of Publication

0

LEGAL NOTICE

Union Texas Petroleum Corporation has submitted an application to the New Mexico Conservation Commission to inject salt water into the San Andres formation by means of an injection well located 885' FNL & 1980' FEL of Section 13, T8S, R34E, Roosevelt County, New Mexico. This application is located in the Milnesand (SA) Unit which is an established waterflood. The zone of injection will be through casing perforations 4580' to 4625' by means of tubing set in a casing packer. Injection rate is estimated at 300 barrels per day with an estimated pressure of 1400 psi not to exceed a maximum of 1800 psi.

Interested parties have 15 days from the date of this publication to file an objection or to request a hearing. Objections may be filed by contacting the Oil Conservation Commission Division office, P.O. Box 3084, Santa Fe, New Mexico 87501.

Union Texas Petroleum Corporation
William A. Higgins
Production Services Supervisor
Published in the Portales News-Tribune
August 2, 1983, Legal Notice.

I, Marshall Stinnett
Business Manager of

THE PORTALES NEWS-TRIBUNE

a newspaper of general paid circulation and entered under second class postal privilege in Roosevelt County, published daily, (except Saturday) at Portales, New Mexico, for the fifty-two (52) consecutive weeks preceding this date, do solemnly swear that a copy of the above notice, as per clipping attached, was published weekly in the regular and entire issue of said

newspaper, and not in any supplement thereof for 1

consecutive weeks commencing with the issue dated

August 2 19 83

and ending with the issue dated August 2 19 83

All publication costs having been paid.

Marshall Stinnett

Subscribed and sworn to before me this 2nd day of August 19 83

De Maria Barnett
NOTARY PUBLIC


My commission expires 3/7/87 19 87

P 220 608 022
RECEIPT FOR CERTIFIED MAIL


NO INSURANCE COVERAGE PROVIDED—
 NOT FOR INTERNATIONAL MAIL
 (See Reverse)

SENT TO <i>Mr. Orbie Luman</i>													
STREET AND NO. <i>P.O. Box 43</i>													
P.O. STATE AND ZIP CODE <i>Missouri, New Mo. 68125</i>													
POSTAGE	\$												
CONSULT POSTMASTER FOR FEES	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;">CERTIFIED FEE</td> <td style="width: 50%; padding: 2px;">c</td> </tr> <tr> <td style="padding: 2px;">SPECIAL DELIVERY</td> <td style="padding: 2px;">c</td> </tr> <tr> <td style="padding: 2px;">RESTRICTED DELIVERY</td> <td style="padding: 2px;">c</td> </tr> </table>	CERTIFIED FEE	c	SPECIAL DELIVERY	c	RESTRICTED DELIVERY	c						
	CERTIFIED FEE	c											
	SPECIAL DELIVERY	c											
	RESTRICTED DELIVERY	c											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; text-align: center; vertical-align: middle; font-size: x-small;">OPTIONAL SERVICE</td> <td style="width: 70%; padding: 2px;">SHOW TO WHOM AND DATE DELIVERED</td> <td style="width: 10%; padding: 2px;">c</td> </tr> <tr> <td style="text-align: center; vertical-align: middle; font-size: x-small;">RETURN RECEIPT SERVICE</td> <td style="padding: 2px;">SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY</td> <td style="padding: 2px;">c</td> </tr> <tr> <td></td> <td style="padding: 2px;">SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTED DELIVERY</td> <td style="padding: 2px;">c</td> </tr> <tr> <td></td> <td style="padding: 2px;">SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY WITH RESTRICTED DELIVERY</td> <td style="padding: 2px;">c</td> </tr> </table>	OPTIONAL SERVICE	SHOW TO WHOM AND DATE DELIVERED	c	RETURN RECEIPT SERVICE	SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY	c		SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTED DELIVERY	c		SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY WITH RESTRICTED DELIVERY	c
	OPTIONAL SERVICE	SHOW TO WHOM AND DATE DELIVERED	c										
	RETURN RECEIPT SERVICE	SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY	c										
	SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTED DELIVERY	c											
	SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY WITH RESTRICTED DELIVERY	c											
TOTAL POSTAGE AND FEES													
\$													
POSTMARK OR DATE													

PS Form 3800, Apr. 1976



UNION TEXAS PETROL 'UM

FIELD: Milnesand (SAN ANDRES)LEASE: Milnesand (SA) Unit WELL NO. 59DATE: 8/8/62 SPUDDED: 3-25-62 COMP. 4-11-62ELEV: 4250' GLLOCATION: 660' FNL & 1980' FELSec. 13, T-8-S, R. 34-ERoosevelt County, N. M.

24 # 8 5/8" CSG. of 360' W/ 360 SX.
12 1/4" HOLE TOC Surface - Circulation

Injection Interval
4580' - 4623', perforated

9.5 # 4 1/2" CSG. of 4697 W/ 200 SX.
6 3/4" HOLE TOC 3630 - Temp. Survey
 TD 4700
 PBTD _____

Tubing size 2 3/8" lined with plastic set in a
 (material)
Baker Lok-Set packer at 4500 feet.
 (brand and model)

(or describe any other casing-tubing seal).

Other Data

- Name of the injection formation San Andres
- Name of Field or Pool (if applicable) Milnesand
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? Producing Oil Well
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used) NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area. _____

RECEIVED

12 1983

O.C.D.
SBS OFFICE



UNION TEXAS PETROLEUM

FIELD: Milnesand (San Andres)
 LEASE: Milnesand (SA) Unit WELL NO. 55
 DATE: 8/83 SPUDDED: 2/62 COMP. 2/62
 ELEV: 4242 GL
 LOCATION: 1980 FSL & 1980 FWL
Sec. 13 T-8-S R-34-E
Roosevelt County, N. M.

24 # 8 5/8" CSG. at 372 W/ 225 SX. Cement
11" HOLE TOC Surface

*Producing from San Andres Perfs
 4555 - 4625'*

Baker
 Model K

9.5 # 4 1/2" CSG. at 4697 W/ 200 SX. Cement
7 7/8" HOLE TOC 3800'

TD 4697
 PBTD 4636

UNION TEXAS PETROLEUM

FIELD: Milnesand (San Andres)
 LEASE: Milnesand (SA) Unit WELL NO. 58
 DATE: 8/83 SPUDDED: 3/62 COMP. 3/62
 ELEV: 4244 GL
 LOCATION: 660 FNL & 660 F EL
Sec. 13, T-8-S, R-34-E
Beaverhead County, N. M.

24 # 8 5/8" CSG. at 350 W/ 250 SX.
12 1/4" HOLE TOC Surface

Producing from San Andres Pkgs
 4559- 4630.

9.5 # 4 1/2" CSG. at 4700 W/ 200 SX.
7 7/8" HOLE TOC 3660

TD 4700
 PBTD 4694

RECEIVED

SEP 12 1983

Q.C.D.
HOBBS OFFICE

UNION TEXAS PETROLEUM

FIELD: Milnesand (San Andres)
 LEASE: Milnesand (SA) Unit WELL NO. 161
 DATE: 8/83 SPRUDD: 9/62 COMP. 10/62
 ELEV: 4247 GL
 LOCATION: 64° E 5L & 1980 F&L
Sec. 12, T-8-S R-34-E
Roosevelt County, N. M.

24 # 8 5/8" CSG. at 355 W/ 225 SX. _____
12 1/4 " HOLE TOC SURFACE

Producing from San Andres Refd
 4585 - 4632'.

9.5 # 4 1/2" CSG. at 4700 W/ 200 SX. _____
77 1/8 " HOLE TOC 3890

TD 4700
 PBTD _____

RECEIVED

SEP 12 1983

O.C.D.
HOBBS OFFICE

UNION TEXAS PETROLEUM

FIELD: Milnesand (San Andres)
 LEASE: Milnesand (SA) Unit WELL NO. 515
 DATE: 8/83 SPUDDED: 12/62 COMP. 12/62
 ELEV: 4239 DF
 LOCATION: 1980 FSL & 660 FFL
Sec. 24 T.8.S. R.34.E
Roosevelt County, N. M.

24 # 8 5/8" CSG. at 359 W/ 225 SX.
12 1/4 " HOLE TOC Surface

*Producing from San Andres Perfs
 4662-4741*

9.5 # 4 1/2" CSG. at 4800 W/ 225 SX.
7 7/8 " HOLE TOC 3990

TD 4800
 PBTD _____

UNION TEXAS PETROLEUM

FIELD: Milnesand (San Andres)
 LEASE: Milnesand (SA) Unit WELL NO. 522
 DATE: 8/83 SPUDDED: 4/82 COMP. 4/82
 ELEV: 4247 GR
 LOCATION: 90' FNL E 1360' FFL
Sec. 13 T-8-S R-34-E
Russell County, N.M.

24 # 8 5/8" CSG. at 378 W/ 300 SX.
12 1/4" HOLE TOC Surface

Producing from San Andres Pgs
 4529-4625'.

14 # 5 1/2" CSG. at 4750 W/ 1290 SX.
7 1/8" HOLE TOC 2110

TD 4750
 PBTD. _____

UNION TEXAS PETROLEUM

FIELD: Milnesand (San Andres)
 LEASE: Milnesand (SA) Unit WELL NO. 525
 DATE: 8/82 SPUDDED: 5/82 COMP. 6/82
 ELEV: 4244 GL
 LOCATION: 1260' FNL & 1300' FEL
Sec. 13, T. 8 S., R. 34 E
Roosevelt County, N. M.

24 # 8 5/8" CSG. of 408 W/ 220 SX.
12 1/4" HOLE TOC Surface

Producing from San Andres Perfo
4549-4622'.

14 # 5 1/2" CSG. of 4250 W/ 700 SX.
7 7/8" HOLE TOC 3750

TD 4250
 PBD

RECEIVED

SEP 12 1983

O.C.D.
HOBBS OFFICE