

APPROVED *Re file of elapsed App'l*
4-12-62

Form 9-381a
(Feb. 1961)

SEP 17 1962

(SUBMIT IN TRIPLICATE)

COPY TO O. E. & C.

Budget Bureau No. 42-R358.4.
Form Approved.

Las Cynchos

062178

E. W. STANDLEY
DISTRICT ENGINEER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

HOBBS

Lease No.

RECEIVED

SEP 17 1962

GEOLOGICAL SURVEY
U.S. DEPT. OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 17

1962

N. M. Federal "F"

Well No. 13 is located 1980 ft. from N line and 660 ft. from E line of sec. 24

SE 1/4 of NE 1/4 Sec 24
(1/4 Sec. and Sec. No.)
Milnesand San Andres
(Field)

8S 34E
(Twp.) (Range)
Roosevelt
(County or Subdivision)

NMPM
(Meridian)
New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 4230 ft. 01.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Set 8 5/8" 24# casing @ 350' and cire cement. Pressure test casing to 1000psi for 30 minutes.
2. Set 4 1/2" casing 9.5# @ 4700'. Cement w/200 sx cement. Pressure test casing to 1000 psi for 30 minutes.
3. Perforate San Andres and sand oil frac w/20,000 gals refined oil and sand in 4 stages using rubber balls.
4. Run tubing and put well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray Oil Company

Address P. O. Box 128

Hobbs, New Mexico

By *R. E. Statton*
R. E. Statton

Title District Engineer

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
 Revised 5/1/57


SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

Operator SUNRAY MID-CONTINENT OIL CO.		Lease NEW MEXICO FEDERAL "N"		Well No. 13
Trak Letter H	Section 24	Township 8 SOUTH	Range 34 EAST	County ROOSEVELT
Actual Footage Location of Well: 1980 feet from the NORTH line and 660 feet from the EAST line				
Ground Level Elev. 4230.0	Producing Formation San Andres	Pool Milnesand San Andres	Dedicated Acreage: 40 Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communication agreement or otherwise? YES ☐ NO ☐ If answer is "yes," Type of Consolidation **JOINT INTERESTS WITH TARRANT, INC.**
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name *Mr. Statton*
 Position **District Engineer**
 Company **Sunray Oil Company**
 Date **September 17, 1962**

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed *4/12/62*
 Registered Professional Engineer and/or Land Surveyor, **JOHN W. WEST**
 Certificate No. *4048*
 N. M. - P. E. & L. S. NO. 676

0 330 660 990 1320 1650 1980 2310 2640 2970 3300 3630 3960 4290 4620 4950 5280 5610 5940 6270 6600