

APPROVED

COPY TO O. C. C.

Form 9-831a
(Feb. 1961)

APR 12 1962

(SUBMIT IN TRIPLICATE)

HOBBS

Budget Bureau No. 42-R358.4.
Form Approved.Land Office Las CrucesLease No. 062178Unit H

J. L. GORDON

DISTRICT ENGINEER

 UNITED STATES OFFICE OCC
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

APR 17 AM 9:57

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 12

19 62

 N. M. Federal "F"
 Well No. 13 is located 1980 ft. from N line and 660 ft. from E line of sec. 24
SE 1/4 of NE 1/4 Sec 24 83 34E 10N
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Milnesand San Andres Roosevelt New Mexico
 (Field) (County or Subdivision) (State or Territory)

 The elevation of the derrick floor above sea level is Furnish Later ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Set 8 5/8" 24# casing @ 350' and circ cement. Pressure test casing to 1000 psi for 30 minutes.
2. Set 4 1/2" casing 9.5# @ 4700'. Cement w 200 sz cement. Pressure test casing to 1000 psi for 30 minutes.
3. Perforate San Andres and sand oil frac w/20,000 gals refined oil and sand in 4 stages using rubber balls.
4. Run tubing and put well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray Mid-Continent Oil Company
 Address P. O. Box 128
Hobbs, New Mexico

 By R. E. Statton
 Title District Engineer

NEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE


SECTION A

Operator SUNRAY MID-CONTINENT OIL CO.			Lease NEW MEXICO FEDERAL "F"		Well No. 13
Unit Letter H	Section 24	Township 8 SOUTH	Range 34 EAST	County ROOSEVELT	
Actual Footage Location of Well: <div style="display: flex; justify-content: space-between;"> 1980 feet from the NORTH line and 660 feet from the EAST line </div>					
Ground Level Elev. 4280 GL (est)	Producing Formation San Andres		Pool Elizabethtown San Andres	Dedicated Acreage: 10 Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (a) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ☐ NO ☐ If answer is "yes," Type of Consolidation Joint Administration with The Texas Co.
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name E. E. Stetten
Position District Engineer
Company Sunray Mid-Continent
Date April 12, 1962

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed April 12, 1962
Registered Professional Engineer and/or Land Surveyor, JOHN W. WEST
Certificate No. N. M. - P. E. & L. S. 50, 076

0 330 660 990 1320 1650 1980 2310 2640 2970 3300 3630 3960 4290 4620 4950 5280 5610 5940 6270 6600