			ng si kana sa sa sa sa sa sa sa 1997 - Santa S	3N
Form 3160-5 (December 1989)	UNITED STA DEPARTMENT OF TH BUREAU OF LAND M	TES HOBB5 IE INTERIOR	, NEW MEXICO 8	Budget Bureau No. 1004-0135 Expires: September 30, 1990 5 Lease Designation and Serial No.
Do not use this form	JNDRY NOTICES AND RE for proposals to drill or to d "APPLICATION FOR PERMI	eepen or reentry to a	different reservoir	LC-060978 6 If Indian. Allottee or Tribe Name
SUBMIT IN TRIPLICATE				7 If Unit or CA. Agreement Designation
1. Type of Well X Oil Gas Well Other				MILNESAND () UNIT 8. Well Name and No
2. Name of Operator XERIC OIL & GAS COMPANY				514 9. API Well No 30. 041 - 00261
3. Address and Telephone No P.O. BOX 51311, MIDLAND, TEXAS 79710 (915)683-3171 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				3C-C41-CC26 10 Field and Pool. or Exploratory Area MILNESAND (SAN ANDRES
1980FSL,1980FEL,S24,T8S,R34E				11. County or Parish, State ROOSEVELT
CHECK AP	PROPRIATE BOX(s) TO IN	DICATE NATURE C	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTIO				N
X Notice of Int		Abundonment Recompletion		Change of Plans New Construction Non-Routine Fracturing
Einal Abando	eport	Plugging Back Casing Repair Altering Casing X Other		Water Shut-Off
give subsurface locations Cast iron brid for mechanical	and measured and true vertical depths for	tails, and give periment dates in all markers and yones pertimen will be set. psi for 30 mi	Recompletion Report cluding estimated date of star the this work if Well will nutes. BLM	ting any proposed work If well is directionally drilled. be pressure tested
,	1			
chen'	going is true the correct	Ide OPERATIONS	MANAGER	Dats 10-29-92
(This space for Federal or Si	ate office se			APPROVED 7
Approved by Conditions of approval, if an	' See allaciado	alift		PETER W. CHESTER
Title 18 U.S.C. Section 1001 or representations as to any matter	ikes it a crime for any person knowingly , ir within its juristiction	ind willich an eine lep		NOV 1.7 1992 or fraudulen statements
		See Instruction on Reve	se Side R	EAU OF LAND MANAGEMENT OSWELL RESOLACE ARFA

Additional Stipulations for Casing Integrity Test

1. The cast iron bridge plug shall be set within 100 ft. of the upper most perforations or casing shoe if completed open hole.

2. Also notify the New Mexico Oil Conservation Division (NMOCD) prior to test.